



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA131582

Product Info

| | |
|------------------------------|---|
| Date of Certification | June 12, 2024 |
| Company | TP-Link Systems Inc. |
| Product Name | BE11000 Whole Home Mesh Wi-Fi 7 System |
| Product Model Variant | Deco BE65 Pro |
| Model Number | Deco BE65 Pro |
| Category | Routers |
| Sub-category | Access Point for Home or Small Office (Wireless Router) |

Summary of Certifications

| CLASSIFICATION | CERTIFICATION |
|-----------------------|--|
| Connectivity | 2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12 |
| Optimization | WMM® Wi-Fi Agile Multiband™ |
| Security | Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2023-12 |



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131582



Role: Access Point

Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

1.0

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 2 | 2 |
| 5 GHz | 2 | 2 |
| 6 GHz | 2 | 2 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

WPA3™-Personal 2023-12

AKM 24
Beacon Protection

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6® Release 2

Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
DL MU-MIMO
DL OFDMA
Individual Target Wake Time
LDPC Rx
LDPC Tx
MCS 8-9 Rx
MCS 8-9 Tx
MU-BAR Trigger frame
Operating mode indication
SU beamformer
SU-MIMO
UL OFDMA
Wi-Fi 6E
Co-located BSS

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz
40 MHz Channel Width in 6 GHz
80 MHz Channel Width in 6 GHz
160 MHz Channel Width in 6 GHz
320 MHz channel width in 6 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131582



Role: Access Point

Page 3 of 3

Wi-Fi CERTIFIED 6® Release 2 (continued)

Wi-Fi 6 Release 2 features
UL MU-MIMO
Dynamic MU SMPS

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx
RTS with BW Signaling
Short Guard Interval
SU beamformer

Wi-Fi CERTIFIED 7™

BSS critical update
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
Compressed Block Ack Rx (buffer size 512)
Compressed Block Ack Tx (buffer size 512)
DL MU-MIMO
DL OFDMA
Dynamic MU SMPS
EMLSR (Enhanced Multilink Single-Radio)
LDPC Rx
LDPC Tx
MCS 8-9 Rx
MCS 8-9 Tx
Multi-RU
Operating mode indication
Static puncturing
STR (Simultaneous Transmit and Receive)
SU-MIMO
Triggered uplink access optimization
UL MU-MIMO
UL OFDMA

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

DL MU-MIMO
LDPC Rx
LDPC Tx