



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

## Certification ID: WFA131584

### Product Info

<b>Date of Certification</b>	September 19, 2024
<b>Company</b>	Askey Computer Corporation
<b>Product Name</b>	WiFi 6E MDU Router
<b>Product Model Variant</b>	N/A
<b>Model Number</b>	MAX2V1K
<b>Category</b>	Routers
<b>Sub-category</b>	Access Point for Home or Small Office (Wireless Router)

### Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2023-12



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131584



Role: Access Point

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

1.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	4	4
5 GHz	4	4
6 GHz	4	4

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

### Protected Management Frames

### WMM®

### WPA2™-Personal 2021-01

### WPA3™-Personal 2023-12

### Wi-Fi Agile Multiband™

### Wi-Fi CERTIFIED 6®

- 4 antenna support
- A-MPDU with A-MSDU
- Basic Trigger frame in HE MU PPDU
- BSRP Trigger frame
- Compressed Block Ack Rx (buffer size 256)
- Compressed Block Ack Tx (buffer size 256)
- DL MU-MIMO
- DL OFDMA
- Individual Target Wake Time
- LDPC Rx
- LDPC Tx
- MCS 8-9 Rx
- MCS 8-9 Tx
- MCS 10-11 Rx
- MCS 10-11 Tx
- MU EDCA Parameter Set element
- MU-BAR Trigger frame
- MU-RTS Trigger frame
- M-BSSID



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131584



Role: Access Point

Page 3 of 3

## Wi-Fi CERTIFIED 6® (continued)

Operating mode indication  
SU beamformer  
SU-MIMO  
TXOP RTS Threshold  
UL OFDMA  
Wi-Fi 6E

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
OBSS on Extension Channel  
Short Guard Interval  
STBC

## Wi-Fi Enhanced Open™ 2023-12