



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA131173

Product Info

Date of Certification June 26, 2024

Company Shenzhen Tinno Mobile Technology Corp

Product Name Smart Phone

Product Model Variant add WPA

Model Number U655AA

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06 WPA3[™]-Personal 2023-12



Certification ID: WFA131173



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 14

Wi-Fi Component Firmware

t-neptune-mp-soc1_0e1-2015-CERVINO_SOC1_0_E1_ASIC-20231228120556 **RF Architecture**

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ ac (continued)

Wi-Fi CERTIFIED™ g

Protected Management Frames

WMM®

WMM®-Power Save

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval

A-MPDU Tx

MCS 8-9 Rx

Short Guard Interval



Certification ID: WFA131173



Role: Station Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 14

Wi-Fi Component Firmware

t-neptune-mp-soc1_0e1-2015-CERVINO SOC1 0 E1 ASIC-

20231228120556

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 1 | 1 |
| 5 GHz | 1 | 1 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

WPA2[™]-Enterprise 2018-04 (continued)

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Passpoint® Release 3

Roaming Consortium Selection

Terms and Conditions

Venue Information

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PFAPv1

Server Certificate Validation

Protected Management Frames

WMM®

WMM®-Power Save

WPA2™-Enterprise 2018-04

WPA3™-Personal 2023-12





Certification ID: WFA131173

| ole: Station | Page |
|---------------------------|------|
| Vi-Fi CERTIFIED™ a | |
| Vi-Fi CERTIFIED™ ac | |
| N-MPDU with A-MSDU | |
| ICS 8-9 Rx | |
| Short Guard Interval | |
| STBC | |
| SU beamformee | |
| A/' E: OEDTIEID IN L | |
| Vi-Fi CERTIFIED™ b | |
| Vi-Fi CERTIFIED™ g | |
| Vi-Fi CERTIFIED™ n | |
| -MPDU Tx | |
| IT Duplicate Mode | |
| DBSS on Extension Channel | |
| Power Management | |
| Short Guard Interval | |
| STBC | |
| Vi-Fi Direct® | |
| | |
| Vi-Fi Direct with WPA2 | |
| | |
| Vi-Fi Protected Setup™ | |
| PIN | |
| | |