



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA131736

Product Info

Date of Certification October 17, 2024

Company Arcadyan Technology Corporation

Product Name Swisscom Internet-Box 5 Pro

Product Model Variant PRV65BE3448B-B-H1-LSW

Model Number PRV65BE3448B-B-H1-LSW

Category Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
----------------	---------------

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12



Certification ID: WFA131736



Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features



Certification ID: WFA131736



Role: Access Point	Page 3 of 5		
Wi-Fi Components			
Wi-Fi Component Operating System Linux 4.19.294 Wi-Fi Component Firmware 17.10.369.39012	RF Architecture		
	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	3	3
	5 GHz	4	4
	6 GHz	4	4
Certifications			
2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	802.11h		
	WMM®		
5 GHz Spectrum Capabilities	WPA2™-Enterpris	se 2018-04	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP methods		
80 MHz Channel Width in 5 GHz	EAP methods		
160 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01		
6 GHz Spectrum Capabilities	WPA3™-Enterpris	se 2022-12	
20 MHz Channel Width in 6 GHz	EAP methods		
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz			
160 MHz Channel Width in 6 GHz	WPA3™-Personal 2023-12		
320 MHz channel width in 6 GHz	AKM 24 Beacon Protection		
Protected Management Frames			
Spectrum & Regulatory	Wi-Fi Agile Multib	and™	



Certification ID: WFA131736



Role: Access Point Page 4 of 5

Wi-Fi CERTIFIED 6® Release 2

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Co-located BSS

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL MU Control

UL Extended Range

Target Wake Time information frames

Broadcast Target Wake Time

Extended sleep

Dynamic MU SMPS

Wi-Fi CERTIFIED 6® Release 2 (continued)

M-BSSID control frames

Preamble Puncturing

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration – AP removal

Multi-link reconfiguration - AP restart

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)



Certification ID: WFA131736



Role: Access Point Page 5 of 5

Wi-Fi CERTIFIED 7™ (continued)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi Protected Setup™ (continued)

PIN

Pushbutton

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Protected Setup™