

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA125667

Product Info

Date of Certification	June 28, 2024
Company	Juniper Networks, Inc.
Product Name	AP45
Product Model Variant	AP45-WW
Model Number	AP45-US
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA125667



Role: Access Point Page 2 of 3 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Linux Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 4 4 0.12 5 GHz 4 4 6 GHz 4 4 Certifications 2.4 GHz Spectrum Capabilities WMM®

20 MHz Channel Width in 2.4 GHz	Max Throughput
5 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP methods
80 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01
6 GHz Spectrum Capabilities	WPA3™-Enterprise 2022-12
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	EAP methods 192-bit security
160 MHz Channel Width in 6 GHz	WPA3™-Personal 2022-06
Protected Management Frames	Wi-Fi Agile Multiband™
Spectrum & Regulatory	Fast Transition OTA on WPA2-Personal
802.11d 802.11h	Wi-Fi CERTIFIED 6®



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA125667



Page 3 of 3

Role: Access Point

Wi-Fi CERTIFIED 6® (continued)

4 antenna support A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU Beamforming sounding **BSRP** Trigger frame Co-located BSS DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame Operating mode indication SU beamformer SU-MIMO **TXOP RTS Threshold** UL OFDMA Wi-Fi 6E

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel RIFS Short Guard Interval STBC

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8 Rx