



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA111638

Product Info

Date of Certification	July 8, 2024	
Company	Honeywell Safety and Productivity Solutions	
Product Name	Mobile Computer	
Product Model Variant	CT45-L0N A13	
Model Number	CT45-L0N	
Category	Phones	
Sub-category	Smartphone	

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Applications & Services	Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED [™] a Wi-Fi CERTIFIED [™] b Wi-Fi CERTIFIED [™] b Wi-Fi CERTIFIED [™] g Wi-Fi CERTIFIED [™] n Wi-Fi Direct® Wi-Fi Enhanced Open [™] 2021-01
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi Optimized Connectivity™ 2018
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01



Certification ID: WFA111638



Summary of Certifications (continued)		Page 2 of 5
CLASSIFICATION	CERTIFICATION	
Security	WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12	



Certification ID: WFA111638



Role: Access Point Page 3 of 5 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Android 13 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 1 1 WLAN.HL.3.3.7-00293-QCAHLSWMTPLZ-1 5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2[™]-Personal 2021-01

WPA3[™]-Personal 2023-12

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx LDPC Tx

Wi-Fi CERTIFIED[™] ac (continued)

MCS 8-9 Rx Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval A-MPDU Tx



Certification ID: WFA111638



Role: Station Page 4 of 5 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Android 13 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 1 1 WLAN.HL.3.3.7-00293-QCAHLSWMTPLZ-1 5 GHz 1 1 Certifications

2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)
20 MHz Channel Width in 2.4 GHz	EAP methods EAP TLS
5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP TLS EAP TTLS PEAPv0 PEAPv1
80 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01
Protected Management Frames	WPA3™-Enterprise 2022-12
Voice-Enterprise	EAP methods EAP TLS
WMM®	EAP TTLS PEAPv0
WMM®-Admission Control	PEAPv1 192-bit security
WMM®-Power Save	Server Certificate Validation
Legacy Power Save Unschedule auto PS	WPA3™-Personal 2023-12
	Wi-Fi Agile Multiband™
WPA2™-Enterprise 2018-04	Beacon Report Measurement Active Mode



Wi-Fi CERTIFIED[™] Certificate

Certification ID: WFA111638



Role: Station

Page 5 of 5

Wi-Fi Agile Multiband™ (continued) Wi-Fi Optimized Connectivity[™] 2018 (continued) Beacon Report Measurement Passive Mode **BTM Query** FILS Indication Element support AKM Suite Selector Type 15 Pushbutton Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi Protected Setup™ PIN A-MPDU with A-MSDU LDPC Rx Pushbutton MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n A-MPDU Tx **OBSS** on Extension Channel **Power Management** Short Guard Interval STBC Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Optimized Connectivity[™] 2018

FILS Shared Key Authentication