



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# Certification ID: WFA131817

# **Product Info**

Date of Certification	July 8, 2024
Company	Samsung Electronics
Product Name	Smartphone
Product Model Variant	SM-M055F/DS
Model Number	SM-M055F/DS
Category	Phones
Sub-category	Smartphone

# **Summary of Certifications**

·····	
CLASSIFICATION	CERTIFICATION
Applications & Services	Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
Optimization	WMM® WMM®-Admission Control WMM®-Power Save
Security	Protected Management Frames WPA2 <sup>™</sup> -Enterprise 2018-04 WPA2 <sup>™</sup> -Personal 2021-01 WPA3 <sup>™</sup> -Enterprise 2022-12 WPA3 <sup>™</sup> -Personal 2022-06



Certification ID: WFA131817



Role: Access Point	Page 2 of 4			
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android 14	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware 2023-03-31-130954	2.4 GHz	1	1	
	5 GHz	1	1	
Certifications				
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™	⁴ b		
20 MHz Channel Width in 2.4 GHz	Wi-Fi CERTIFIED™	″ g		
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™	″ n		
20 MHz Channel Width in 5 GHz	HT Duplicate Mode OBSS on Extension Cha	Innel		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Short Guard Interval			
	A-MPDU Tx			
Protected Management Frames				
WMM®				
WPA2™-Personal 2021-01				
WPA3™-Personal 2022-06				
Wi-Fi CERTIFIED™ a				
Wi-Fi CERTIFIED™ ac				
A-MPDU with A-MSDU				
MCS 8-9 Rx Short Guard Interval				



**Certification ID: WFA131817** 



#### **Role: Station** Page 3 of 4 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Android 14 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 1 1 2023-03-31-130954 5 GHz 1 1

## Certifications

2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)
20 MHz Channel Width in 2.4 GHz	EAP methods
<b>5 GHz Spectrum Capabilities</b> 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP AKA EAP AKA Prime EAP SIM EAP TLS EAP TTLS PEAPv0 PEAPv1
Protected Management Frames	WPA2™-Personal 2021-01
Voice-Enterprise	WPA3™-Enterprise 2022-12
WMM®	EAP methods
WMM®-Admission Control	EAP AKA EAP AKA Prime
WMM®-Power Save	EAP SIM EAP TLS
Legacy Power Save Unschedule auto PS	EAP TTLS PEAPv0 PEAPv1
WPA2™-Enterprise 2018-04	Server Certificate Validation



**Certification ID: WFA131817** 



## **Role: Station**

# Page 4 of 4

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU MCS 8-9 Rx Short Guard Interval STBC SU beamformee

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx
HT Duplicate Mode
OBSS on Extension Channel
Short Guard Interval
STBC

### Wi-Fi Direct®