

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA131462

Product Info

Date of Certification	July 9, 2024	
Company	Huawei Technologies Co., Ltd.	
Product Name	Wireless LAN Access Point	
Product Model Variant	eKitEngine AP162E ver.2024	
Model Number	eKitEngine AP162E	
Category	Routers	
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router	

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-12



Wi-Fi CERTIFIED[™] Certificate

Certification ID: WFA131462



Role: Access Point	Page 2 of 3
Wi-Fi Components	
Wi-Fi Component Operating System	RF Architecture
Linux	Bands Supported Transmit (Tx) Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz 2 2
V5	5 GHz 2 2
	5 GHZ Z Z
Certifications	
2.4 GHz Spectrum Capabilities	WPA2™-Personal 2021-01
20 MHz Channel Width in 2.4 GHz	WPA3™-Enterprise 2020-02
40 MHz Channel Width in 2.4 GHz	EAP methods
5 GHz Spectrum Capabilities	
20 MHz Channel Width in 5 GHz	WPA3™-Personal 2020-12
40 MHz Channel Width in 5 GHz	Wi-Fi Agile Multiband™
80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	Automatically populate BSS Transition candidate list
Protected Management Frames	Wi-Fi CERTIFIED 6®
WMM®	A-MPDU with A-MSDU
	Basic Trigger frame in HE MU PPDU BSRP Trigger frame
WMM®-Power Save	DL MU-MIMO
Legacy Power Save	DL OFDMA
Unschedule auto PS	Individual Target Wake Time
	LDPC Tx
WPA2™-Enterprise 2018-04	MCS 8-9 Rx MCS 8-9 Tx
EAP methods	MCS 10-11 Rx



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131462



Role: Access Point

Wi-Fi CERTIFIED 6® (continued) MCS 10-11 Tx MU-BAR Trigger frame MU-RTS Trigger frame Operating mode indication SU beamformer UL OFDMA Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac RTS with BW Signaling Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC

Page 3 of 3