

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA131463

Product Info

Date of Certification	July 11, 2024
Company	Huawei Technologies Co., Ltd.
Product Name	Wireless LAN Access Point
Product Model Variant	eKitEngine AP265E ver.202407
Model Number	eKitEngine AP265E
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2020-02 WPA3 [™] -Personal 2020-12



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131463



/i-Fi Components /i-Fi Component Operating System inux /i-Fi Component Firmware /5 ertifications 2.4 GHz Spectrum Capabilities 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 5 GHz 20 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	RF Architecture Bands Supported 2.4 GHz 5 GHz WPA2™-Personal WPA3™-Enterpris EAP methods	e 2020-02	Receive (Rx) 2 2	
inux /i-Fi Component Firmware 5 ertifications 2.4 GHz Spectrum Capabilities 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 20 MHz Channel Width in 5 GHz 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	Bands Supported 2.4 GHz 5 GHz WPA2 [™] -Personal WPA3 [™] -Enterpris EAP methods	2 2 2021-01 e 2020-02	2	
 Vi-Fi Component Firmware 5 ertifications 2.4 GHz Spectrum Capabilities 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 	2.4 GHz 5 GHz WPA2 [™] -Personal WPA3 [™] -Enterpris EAP methods	2 2 2021-01 e 2020-02	2	
 5 ertifications 2.4 GHz Spectrum Capabilities 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 	2.4 GHz 5 GHz WPA2 [™] -Personal WPA3 [™] -Enterpris EAP methods	2 2 2021-01 e 2020-02	2	
ertifications 2.4 GHz Spectrum Capabilities 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	5 GHz WPA2™-Personal WPA3™-Enterpris EAP methods	2 2021-01 e 2020-02		
 2.4 GHz Spectrum Capabilities 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 	WPA2 [™] -Personal WPA3 [™] -Enterpris EAP methods	2021-01 e 2020-02	2	
 2.4 GHz Spectrum Capabilities 20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 	WPA3™-Enterpris	e 2020-02		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz 5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA3™-Enterpris	e 2020-02		
40 MHz Channel Width in 2.4 GHz 5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP methods			
5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz		2020-12		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz		2020-12		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA3™-Personal	2020-12		
40 MHz Channel Width in 5 GHz				
	Wi-Fi Agile Multiband™			
	WI-FI Aglie Multiba	and		
160 MHz Channel Width in 5 GHz	Automatically populate E	3SS Transition candio	date list	
Protected Management Frames	Wi-Fi CERTIFIED 6	6®		
WMM®	A-MPDU with A-MSDU			
	Basic Trigger frame in H	E MU PPDU		
WMM®-Power Save	BSRP Trigger frame DL MU-MIMO			
Legacy Power Save	DL OFDMA			
Unschedule auto PS	Individual Target Wake	Time		
	LDPC Rx LDPC Tx			
WPA2™-Enterprise 2018-04	MCS 8-9 Rx			
EAP methods	MCS 8-9 Tx MCS 10-11 Rx			



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA131463



Role: Access Point

Wi-Fi CERTIFIED 6® (continued) MCS 10-11 Tx MU-BAR Trigger frame **MU-RTS** Trigger frame Operating mode indication SU beamformer UL OFDMA Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac RTS with BW Signaling Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC