



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA123248

Product Info

Date of Certification	July 22, 2024
Company	NXP Semiconductors
Product Name	9098
Product Model Variant	9098-R10.11
Model Number	9098
Category	Other
Sub-category	Embedded Module

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2023-12
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12



Certification ID: WFA123248



Summary of Certifications (continued)Page 2 of 7CLASSIFICATIONCERTIFICATIONSpectrum & Regulatory
FeaturesSpectrum & Regulatory





Certification ID: WFA123248

Role: Access Point		Page 3 of 7	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware p149.45	2.4 GHz	2	2
p · · · · · ·	5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities	WPA3™-Personal 2023-12
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	Wi-Fi CERTIFIED 6®
 40 MHz Channel Width in 2.4 GHz 5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 	A-MPDU with A-MSDU LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx SU beamformer
Protected Management Frames	
Spectrum & Regulatory	Wi-Fi CERTIFIED™ a
802.11d	Wi-Fi CERTIFIED™ ac
802.11h	A-MPDU with A-MSDU Extended 5 GHz Channel Support
WMM®	LDPC Rx
Max Throughput	LDPC Tx MCS 8-9 Rx RTS with BW Signaling
WPA2™-Personal 2021-01	Short Guard Interval SU beamformer



Certification ID: WFA123248



Page 4 of 7

Role: Access Point

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

HT Duplicate Mode OBSS on Extension Channel Short Guard Interval A-MPDU Tx

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Protected Setup™

PIN

Pushbutton







Role: Station F		Pa	age 5 of 7
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware p149.45	2.4 GHz	2	2
p143.40	5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)
20 MHz Channel Width in 2.4 GHz	EAP methods
40 MHz Channel Width in 2.4 GHz	EAP AKA
	EAP AKA Prime
5 GHz Spectrum Capabilities	EAP FAST-GTC
	EAP FAST-MSCHAPv2
20 MHz Channel Width in 5 GHz	EAP SIM EAP TLS
40 MHz Channel Width in 5 GHz	EAP TLS
80 MHz Channel Width in 5 GHz	PEAPv0
	PEAPv1
Protected Management Frames	
Spectrum & Regulatory	WPA2™-Personal 2021-01
802.11d	WPA3™-Enterprise 2022-12
802.11h	EAP methods
	EAP AKA
WMM®	EAP AKA Prime
	EAP FAST-MSCHAPv2
Max Throughput	EAP FAST-GTC
	EAP SIM
	EAP TLS
WPA2™-Enterprise 2018-04	EAP TTLS PEAPv0



Certification ID: WFA123248



Role: Station

Page 6 of 7

WPA3[™]-Enterprise 2022-12 (continued)

PEAPv1

192-bit security

192-bit security RSA 3K with the TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

192-bit security RSA 3K with the TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

Server Certificate Validation

WPA3[™]-Personal 2023-12

Wi-Fi Agile Multiband™

ANQP BTM Query Cellular Data capable

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU Beamforming sounding BSRP Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL MU PPDU multi-tone HE NDP LDPC Tx LDPC Rx MCS 10-11 Rx MCS 10-11 Tx MCS 8-9 Rx MCS 8-9 Tx MU EDCA Parameter Set element MU-BAR Trigger frame **MU-RTS** Trigger frame

Wi-Fi CERTIFIED 6® (continued)

Operating mode indication

SU beamformee SU-MIMO UL OFDMA UL TB PPDU multi-tone

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support RTS with BW Signaling A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval LDPC Tx SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel Power Management Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2023-12



Certification ID: WFA123248



Role: Station

Page 7 of 7

Wi-Fi Protected Setup™

PIN

Pushbutton