

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA83725

Product Info

Date of Certification	August 12, 2024	
Company	Ruckus Wireless, Inc.	
Product Name	Ruckus R750	
Product Model Variant	R750	
Model Number	Ruckus R750	
Category	Routers	
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router	

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2018-04
Optimization	WMM® Wi-Fi Agile Multiband™ Wi-Fi QoS Management™
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2018-04 WPA3 [™] -Enterprise 2018-04 WPA3 [™] -Personal 2019-08
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA83725



Role: Access Point

Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Proprietary / Other, description:Embedded Linux

Wi-Fi Component Firmware

final_candidate_0802

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d 802.11h

WMM®

WPA2[™]-Enterprise 2018-04

EAP methods

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	4	4
5 GHz	4	4

WPA2[™]-Personal 2018-04

WPA3[™]-Enterprise 2018-04

EAP methods

192-bit security

WPA3[™]-Personal 2019-08

Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list Cellular Data aware Fast Transition OTA on WPA2-Enterprise Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6®

4 antenna support A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU BSRP Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA83725



Page 3 of 3

Role: Access Point

Wi-Fi CERTIFIED 6® (continued)

DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element **MU-BAR Trigger frame MU-RTS** Trigger frame M-BSSID Operating mode indication SU beamformer **TXOP RTS Threshold UL OFDMA**

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval STBC A-MPDU Tx

Wi-Fi Enhanced Open™ 2018-04

Wi-Fi QoS Management™

Default DSCP to UP mapping DSCP QoS Map Mirrored Stream Classification Service

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g