



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA121553

Product Info

Date of Certification July 22, 2024

Company NXP Semiconductors

Product Name Aw690

Product Model Variant AW690-R10.11

Model Number AW690

Category Other

Sub-category Reference Design

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12





Certification ID: WFA121553

Summary	of	Certificat	tions (cont	inued)
Julillialy	OI.	oei liiica	เเบเเอ เ	COIIL	IIIucu

Page 2 of 7

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features





Certification ID: WFA121553

Role: Access Point	Page 3 of 7
The state of the s	

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

p149.45

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d 802.11h

WMM®

Max Throughput

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

SU-MIMO

TXOP RTS Threshold

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8 Rx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval





Certification ID: WFA121553

Role: Access Point	Page 4 of 7
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
HT Duplicate Mode OBSS on Extension Channel Short Guard Interval A-MPDU Tx	
Wi-Fi Enhanced Open™ 2023-12	
Wi-Fi Protected Setup™	
PIN Pushbutton	



Certification ID: WFA121553



Role: Station Page 5 of 7

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

p149.45

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d 802.11h

WMM®

Max Throughput

WPA2™-Enterprise 2018-04

WPA2™-Enterprise 2018-04 (continued)

EAP methods

EAP AKA

EAP AKA Prime

EAP FAST-GTC

EAP FAST-MSCHAPv2

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

EAP AKA

EAP AKA Prime

EAP FAST-MSCHAPv2

EAP FAST-GTC

EAP SIM

EAP TLS

EAP TTLS

PEAPv0



Certification ID: WFA121553



Role: Station Page 6 of 7

WPA3™-Enterprise 2022-12 (continued)

PEAPv1

192-bit security

192-bit security RSA 3K with the TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

192-bit security RSA 3K with the TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

Server Certificate Validation

Wi-Fi CERTIFIED 6® (continued)

MU-RTS Trigger frame

Operating mode control field

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi CERTIFIED™ a

WPA3™-Personal 2023-12

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

BTM Query

Cellular Data capable

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

RTS with BW Signaling

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8 Rx

MCS 8-9 Rx

Short Guard Interval

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL MU PPDU multi-tone

HE NDP

LDPC Tx

LDPC Rx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Power Management

Short Guard Interval





Certification ID: WFA121553

Role: Station	Page 7 of 7
Wi-Fi Direct®	
Wi-Fi Enhanced Open™ 2023-12	
Wi-Fi Protected Setup™	
PIN	
Pushbutton	