



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA132017

Product Info

Date of Certification	August 6, 2024
Company	Rhino Mobility LLC
Product Name	Tablet
Product Model Variant	T100
Model Number	T100
Category	Tablets, Ereaders & Cameras
Sub-category	Tablet (Wi-Fi and other)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM®
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132017



Role: Access Point

Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 13

Wi-Fi Component Firmware

3.2.4.0.1129.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

SAE-Public Key

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132017



Wi-Fi Components

Wi-Fi Component Operating System

Android 13

Wi-Fi Component Firmware

3.2.4.0.1129.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

- 20 MHz Channel Width in 2.4 GHz
- 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

- 20 MHz Channel Width in 5 GHz
- 40 MHz Channel Width in 5 GHz
- 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Enterprise 2018-04

- EAP methods
- EAP AKA
 - EAP AKA Prime
 - EAP SIM
 - EAP TLS
 - EAP TTLS
 - PEAPv0
 - PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

- EAP methods
- EAP AKA
 - EAP AKA Prime
 - EAP SIM
 - EAP TLS
 - EAP TTLS
 - PEAPv0
 - PEAPv1
- Server Certificate Validation

WPA3™-Personal 2023-12

- SAE-Public Key

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

- RTS with BW Signaling
- A-MPDU with A-MSDU
- DL MU-MIMO



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132017



Role: Station

Page 4 of 4

Wi-Fi CERTIFIED™ ac (continued)

LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval
STBC