



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA129381

Product Info

Date of Certification July 24, 2024

Company Reliance Communications

Product Name Orbic Joy 2

Product Model Variant R4S14V

Model Number RC656V

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06



Certification ID: WFA129381



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 13

Wi-Fi Component Firmware

3.2.4.0.1138.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WMM®-Power Save

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx



Certification ID: WFA129381



Role: Station Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 13

Wi-Fi Component Firmware

3.2.4.0.1138.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities WPA2™-Enterprise 2018-04 (continued)

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

PEAPv1

PEAPv0

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WPA3™-Enterprise 2022-12

WPA2™-Personal 2021-01

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

WMM®-Power Save

WPA2™-Enterprise 2018-04

EAP methods

WMM®

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac





Certification ID: WFA129381

Role: Station
Wi-Fi CERTIFIED™ ac (continued)
RTS with BW Signaling
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Wi-Fi CERTIFIED™ n
Wi-Fi CERTIFIED™ n A-MPDU Tx
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC Wi-Fi Direct®
Wi-Fi CERTIFIED™ n A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC Wi-Fi Direct®