

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA132062

Product Info

Date of Certification	October 1, 2024	
Company	Huawei Technologies Co., Ltd.	
Product Name	Wireless LAN Access Point	
Product Model Variant	AirEngine6776-58TI	
Model Number	AirEngine6776-58TI	
Category	Routers	
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router	

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED ™ a Wi-Fi CERTIFIED ™ ac Wi-Fi CERTIFIED ™ b Wi-Fi CERTIFIED ™ b Wi-Fi CERTIFIED ™ n
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2022-12 WPA3 [™] -Personal 2023-12



Wi-Fi CERTIFIED[™] Certificate Certification ID: WFA132062



Role: Access Point Page 2 of 4 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture HongMeng Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 2 2 Ver.A 5 GHz 4 4 6 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)
20 MHz Channel Width in 2.4 GHz	EAP methods
40 MHz Channel Width in 2.4 GHz	
	WPA2™-Personal 2021-01
5 GHz Spectrum Capabilities	
20 MHz Channel Width in 5 GHz	WPA3™-Enterprise 2022-12
40 MHz Channel Width in 5 GHz	EAP methods
80 MHz Channel Width in 5 GHz	192-bit security
160 MHz Channel Width in 5 GHz	
6 GHz Spectrum Capabilities	WPA3™-Personal 2023-12
o onz opecia un oapabilities	AKM 24
20 MHz Channel Width in 6 GHz	Beacon Protection
40 MHz Channel Width in 6 GHz	
80 MHz Channel Width in 6 GHz	Wi-Fi Agile Multiband™
160 MHz Channel Width in 6 GHz	M-I Agic multisana
	Wi-Fi CERTIFIED 6®
Protected Management Frames	4 antenna support
WMM®	A-MPDU with A-MSDU
	Basic Trigger frame in HE MU PPDU
WPA2™-Enterprise 2018-04	



Wi-Fi CERTIFIED[™] Certificate Certification ID: WFA132062



Role: Access Point

Wi-Fi CERTIFIED 6® (continued)

BSRP Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element Operating mode indication SU-MIMO **UL OFDMA** Wi-Fi 6E Co-located BSS

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU BSRP Trigger frame BSS critical update Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 512) Compressed Block Ack Rx (buffer size 512) DL MU-MIMO DL OFDMA Dynamic MU SMPS EMLSR (Enhanced Multilink Single-Radio) LDPC Rx LDPC Tx MCS 8-9 Rx

Page 3 of 4

Wi-Fi CERTIFIED 7[™] (continued)

MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx Multi-RU Operating mode indication Static puncturing STR (Simultaneous Transmit and Receive) SU-MIMO Triggered uplink access optimization UL MU-MIMO UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx RTS with BW Signaling Short Guard Interval STBC

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132062



Role: Access Point

Page 4 of 4

Wi-Fi CERTIFIED™ n (continued)

Short Guard Interval STBC