

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA120106**

### **Product Info**

Date of Certification July 26, 2024

Company Zebra Technologies

Product Name TN28CKA

Product Model Variant 2024-07-26

Model Number TN28CKA

**Category** Phones

**Sub-category** Phone, multi-mode (Wi-Fi and other)

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

**Optimization** WMM®

WMM®-Power Save

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2023-12

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA120106** 



Role: Access Point Page 2 of 4

Wi-Fi Components

**Wi-Fi Component Operating System** 

Android, version:14

Wi-Fi Component Firmware

WLAN.HL.3.3.2-00505

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

**5 GHz Spectrum Capabilities** 

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

**Protected Management Frames** 

**WMM®** 

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA120106** 



Role: Station Page 3 of 4

### Wi-Fi Components

Wi-Fi Component Operating System

Android, version:14

Wi-Fi Component Firmware

WLAN.HL.3.3.2-00505

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

#### Certifications

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

### WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

**EAP TLS** 

**EAP TTLS** 

PEAPv0

PEAPv1

#### **Protected Management Frames**

#### **Spectrum & Regulatory**

802.11d 802.11h

#### **WMM®**

#### **WMM®-Power Save**

Legacy Power Save Unschedule auto PS

#### WPA2™-Personal 2021-01

## WPA3™-Enterprise 2022-12

EAP methods

EAP AKA

**EAP AKA Prime** 

EAP SIM

**EAP TLS** 

**EAP TTLS** 

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384 cipher suite



Wi-Fi Direct®

# **Wi-Fi CERTIFIED™ Certificate**



**Certification ID: WFA120106** 

**Role: Station** Page 4 of 4 WPA3™-Enterprise 2022-12 (continued) Wi-Fi Protected Setup™ Server Certificate Validation PIN Pushbutton WPA3™-Personal 2023-12 Fast Transition OTA on WPA3-Personal Fast Transition OTA on WPA3-Personal transition mode Beacon Protection Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac A-MPDU with A-MSDU LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n A-MPDU Tx **OBSS** on Extension Channel Power Management Short Guard Interval STBC