

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA132159

Product Info

Date of Certification August 20, 2024

Company Kaonbroadband CO., LTD.

Product Name AR6445G

Product Model Variant 2024-08-02

Model Number AR6445G

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

| CLASSIFICATION | CERTIFICATION |
|----------------|---------------|
|----------------|---------------|

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12

Spectrum & Regulatory

Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA132159

| Role: Access Point | | Page 2 of 4 | |
|---|---------------------|-----------------------------------|--|
| Wi-Fi Components | | | |
| Wi-Fi Component Operating System | RF Architecture | | |
| Linux | Bands Supported T | ransmit (Tx) Receive (Rx) | |
| Wi-Fi Component Firmware | 2.4 GHz 3 | 3 | |
| 17.10.369.39012 (r839077) | 5 GHz 4 | 4 | |
| | 6 GHz 4 | 4 | |
| | | · | |
| Certifications | | | |
| 2.4 GHz Spectrum Capabilities | Spectrum & Regulato | Spectrum & Regulatory (continued) | |
| 0 MHz Channel Width in 2.4 GHz 802.11d | | | |
| 40 MHz Channel Width in 2.4 GHz | 802.11h | | |
| 5 GHz Spectrum Capabilities | WMM® | WMM® | |
| | _ | | |
| 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz | Max Throughput | WPA2™-Enterprise 2018-04 | |
| 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz | WPA2™-Enterprise 2 | | |
| 100 MHZ GHAIHCI WIGHTHI 3 GHZ | EAP methods | | |
| 6 GHz Spectrum Capabilities | LAI metrous | | |
| 20 MHz Channel Width in 6 GHz | WPA2™-Personal 202 | 21-01 | |
| 40 MHz Channel Width in 6 GHz | WPA3™-Enterprise 2 | WPA3™-Enterprise 2022-12 | |
| 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz | | | |
| 320 MHz channel width in 6 GHz | EAP methods | | |
| | WPA3™-Personal 202 | 23-12 | |
| Protected Management Frames | | | |
| Spectrum & Regulatory | AKM 24 | | |



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA132159

Role: Access Point Page 3 of 4

WPA3™-Personal 2023-12 (continued)

Beacon Protection

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED 7™ (continued)

A-MPDU with A-MSDU

Basic Trigger frame in EHT MU PPDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-link reconfiguration - AP restart

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac



Wi-Fi Enhanced Open™ 2023-12

Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA132159

Role: Access Point Page 4 of 4 Wi-Fi CERTIFIED™ ac (continued) A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n A-MPDU Tx **OBSS** on Extension Channel Short Guard Interval STBC