Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128237

Product Info	
Date of Certification	September 4, 2024
Company	Samsung Electronics
Product Name	SM-S926B/DS
Product Model Variant	2024-08-07
Model Number	SM-S926B/DS
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Applications & Services	Voice-Enterprise Wi-Fi Aware™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi Optimized Connectivity™ 2020 Wi-Fi QoS Management™

CLASSIFICATION	CERTIFICATION
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06
Spectrum & Regulatory Features	Spectrum & Regulatory

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128237

Wi-Fi Components

Wi-Fi Component Operating System

Android 15.0

Wi-Fi Component Firmware

2.0.0.0.1638.3

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz
40 MHz Channel Width in 6 GHz
80 MHz Channel Width in 6 GHz
160 MHz Channel Width in 6 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
LDPC Rx
LDPC Tx
MCS 8-9 Rx
MCS 8-9 Tx
MCS 10-11 Rx
MCS 10-11 Tx
SU beamformer
SU-MIMO
TXOP RTS Threshold
Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
LDPC Rx
LDPC Tx
MCS 8-9 Rx
Short Guard Interval

Wi-Fi CERTIFIED™ ac (continued)

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128237

Wi-Fi Components

Wi-Fi Component Operating System

Android 15.0

Wi-Fi Component Firmware

2.0.0.0.1638.3

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz
160 MHz Channel Width in 5 GHz

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz
40 MHz Channel Width in 6 GHz
80 MHz Channel Width in 6 GHz
160 MHz Channel Width in 6 GHz

Protected Management Frames

Spectrum & Regulatory

802.11h

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

Legacy Power Save
Unschedule auto PS

WPA2™-Enterprise 2018-04

EAP methods
　　EAP AKA
　　EAP AKA Prime
　　EAP SIM
　　EAP TLS
　　EAP TTLS
　　PEAPv0
　　PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

    EAP AKA

    EAP AKA Prime

    EAP SIM

    EAP TLS

    EAP TTLS

    PEAPv0

    PEAPv1

192-bit security

    192-bit security RSA 3K with the TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Server Certificate Validation

WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Wi-Fi Aware™

Bluetooth® Low Energy

    Bluetooth® Low Energy - Browser

Wi-Fi Aware™ (continued)

    Bluetooth® Low Energy - Provider

    Bluetooth® Low Energy - Seeker

    TCP/UDP NDP Initiator

    TCP/UDP NDP Responder

Device Ranging

Wi-Fi Aware pairing

Unsynchronized Service Discovery

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

HE NDP

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

SU-MIMO

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128237

Wi-Fi CERTIFIED 6® Release 2 (continued)

Multiple M-BSSID

Wi-Fi 6 Release 2 features

M-BSSID control frames

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

RTS with BW Signaling

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8 Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Power Management

Short Guard Interval

STBC

Wi-Fi Direct®

Wi-Fi Direct® (continued)

Wi-Fi Direct with WPA2

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Optimized Connectivity™ 2020

Active Scan

FILS Shared Key Authentication

Pushbutton

Probe Deferral and Suppression

Wi-Fi QoS Management™

Default DSCP to UP mapping

DSCP QoS Map

DSCP Policy

Mirrored Stream Classification Service

MSCS setup at association

Stream Classification Service