



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA132215**

### **Product Info**

Date of Certification September 30, 2024

Company ELECOM Co., Ltd.

Product Name Enterprise AP

Product Model Variant 11be Wireless Access Point with PoE

Model Number WAB-BE187-M

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

**Optimization** WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2023-12

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory







Role: Access Point	Page 2 of 4		age 2 of 4
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux 5.4.260  Wi-Fi Component Firmware v1.0.8	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	4	4
	5 GHz	4	4
	6 GHz	4	4
Certifications			
2.4 GHz Spectrum Capabilities	Spectrum & Regu	latory (continue	d)
20 MHz Channel Width in 2.4 GHz	802.11d		
40 MHz Channel Width in 2.4 GHz	802.11h		
5 GHz Spectrum Capabilities	WMM®		
20 MHz Channel Width in 5 GHz	WPA2™-Enterprise 2018-04		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	EAP methods		
6 GHz Spectrum Capabilities	WPA2™-Personal	2021-01	
	WPA3™-Enterpris	se 2022-12	
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz	EAP methods		
80 MHz Channel Width in 6 GHz	192-bit security		
320 MHz channel width in 6 GHz	WPA3™-Personal	2023-12	
Protected Management Frames	AKM 24		
Spectrum & Regulatory	Beacon Protection		







#### Role: Access Point

Page 3 of 4

#### Wi-Fi Agile Multiband™

#### Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx MCS 10-11 Tx

MU EDCA Parameter Set element

MU-RTS Trigger frame

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

### Wi-Fi CERTIFIED 7™ (continued)

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-link reconfiguration - AP restart

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

Basic Trigger frame in EHT MU PPDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC





**Certification ID: WFA132215** 

Role: Access Point	Page 4 of 4
Wi-Fi CERTIFIED™ ac (continued)	
SU beamformer	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
HT Duplicate Mode	
OBSS on Extension Channel	
Short Guard Interval	