



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA132257

Product Info

Date of Certification December 5, 2024

Vantiva Company

Product Name FGA228B

Product Model Variant FGA228B

Model Number FGA228B

Routers Category

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

Summary of Certifications

CLASSIFICATION **CERTIFICATION**

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security **Protected Management Frames**

> WPA2™-Personal 2021-01 WPA3™-Personal 2023-12

Spectrum & Regulatory

Features

Spectrum & Regulatory





Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

linux

Wi-Fi Component Firmware

8.2.1.2

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz

5 GHz

Certifications

2.4 GHz Spectrum Capabilities WPA3™-Personal 2023-12 (continued)

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

AKM 24 **Beacon Protection**

4 antenna support

5 GHz Spectrum Capabilities Wi-Fi Agile Multiband™

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

Spectrum & Regulatory

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame **Protected Management Frames**

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Wi-Fi CERTIFIED 6® Release 2

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

WMM®

802.11d

802.11h

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12







Role: Access Point Page 3 of 4

Wi-Fi CERTIFIED 6® Release 2 (continued)

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6 Release 2 features

UL MU-MIMO

Dynamic MU SMPS

Wi-Fi CERTIFIED 7™ (continued)

Multi-RU

MU-RTS Trigger frame

Operating mode indication

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-link reconfiguration - AP restart

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC





Certification ID: WFA132257

tole: Access Point	Page 4 o
Wi-Fi Enhanced Open™ 2023-12	
Wi-Fi Protected Setup™	
PIN Pushbutton	