



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# Certification ID: WFA132294

# **Product Info**

Date of Certification	November 11, 2024
Company	Vantiva
Product Name	FGA232A
Product Model Variant	FGA232A
Model Number	FGA232A
Category	Routers
Sub-category	Cable, DSL or Other Broadband Gateway (Integrated Home Access Device)

## **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12
Spectrum & Regulatory Features	Spectrum & Regulatory



**Certification ID: WFA132294** 



Role: Access Point	Page 2 of 5
Wi-Fi Components	
Wi-Fi Component Operating System	RF Architecture
Linux 4.19	Bands Supported Transmit (Tx) Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz 3 3
17.10.369.39012	5 GHz 4 4
Certifications	
2.4 GHz Spectrum Capabilities WPA2™-Personal 2021-01	
20 MHz Channel Width in 2.4 GHz	WPA3™-Enterprise 2022-12
40 MHz Channel Width in 2.4 GHz	EAP methods
5 GHz Spectrum Capabilities	192-bit security
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA3™-Personal 2023-12
80 MHz Channel Width in 5 GHz	AKM 24
160 MHz Channel Width in 5 GHz	Beacon Protection
Protected Management Frames	Wi-Fi Agile Multiband™
Spectrum & Regulatory	Wi-Fi CERTIFIED 6® Release 2
802.11d	4 antenna support
802.11h	A-MPDU with A-MSDU
	Basic Trigger frame in HE MU PPDU BSRP Trigger frame
WMM®	Compressed Block Ack Rx (buffer size 256)
WPA2™-Enterprise 2018-04	Compressed Block Ack Tx (buffer size 256) DL MU-MIMO
EAP methods	DL OFDMA
	Individual Target Wake Time



Certification ID: WFA132294



#### **Role: Access Point**

## Page 3 of 5

#### Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping A-MPDU with A-MSDU BSRP Trigger frame BSS critical update Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL OFDMA Dynamic MU SMPS EMLSR (Enhanced Multilink Single-Radio)

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU DL MU-MIMO Extended 5 GHz Channel Support LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer



Certification ID: WFA132294



## **Role: Access Point**

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Short Guard Interval STBC

#### Wi-Fi EasyMesh™

Backhaul Link Backhaul over Ethernet Fronthaul Access Point Fronthaul in 2.4 GHz Fronthaul in 5 GHz low band Fronthaul in 5 GHz high band Backhaul onboarding with Wi-Fi Protected Setup pushbutton Channel Scan on Request Client Capability Query Coordinated CAC Traffic separation Unassociated STA Link Metrics Reporting

# Page 4 of 5



Certification ID: WFA132294



## **Role: Controller**

**Wi-Fi Components** 

Wi-Fi Component Operating System

Linux 4.19

#### Certifications

Wi-Fi EasyMesh™

# Page 5 of 5