



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128602

Product Info

Date of Certification September 2, 2024

Company Samsung Electronics

Product Name SM-K758B/DS

Product Model Variant 2024-08-16

Model Number SM-K758B/DS

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2020

Wi-Fi QoS Management™



Certification ID: WFA128602



Summary of Certifications (continued)		Page 2 of 6
CLASSIFICATION	CERTIFICATION	
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06	
Spectrum & Regulatory Features	Spectrum & Regulatory	



Certification ID: WFA128602



Role: Access Point Page 3 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Android 15.0

Wi-Fi Component Firmware

2.0.0.0.1460.1

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2

6 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

Wi-Fi CERTIFIED 6® (continued)

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

SU beamformer

SU-MIMO

TXOP RTS Threshold

Wi-Fi 6E

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

LDPC Rx

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2021-01



Certification ID: WFA128602



Role: Station		P	age 4 of 6	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android 15.0	Bands Supported	d Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware 2.0.0.0.1460.1	2.4 GHz	2	2	
2.0.0.0.1400.1	5 GHz	2	2	
	6 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	Voice-Enterpris	e		
20 MHz Channel Width in 2.4 GHz	WMM ®			
5 GHz Spectrum Capabilities	WMM®-Admissi	WMM®-Admission Control		
20 MHz Channel Width in 5 GHz	WMM®-Power S	Save		
40 MHz Channel Width in 5 GHz	Legacy Power Save			
160 MHz Channel Width in 5 GHz	Unschedule auto PS			
6 GHz Spectrum Capabilities	WPA2™-Enterp	rise 2018-04		
20 MHz Channel Width in 6 GHz	EAP methods			
40 MHz Channel Width in 6 GHz	EAP AKA EAP AKA Prime			
80 MHz Channel Width in 6 GHz	EAP SIM			
160 MHz Channel Width in 6 GHz	EAP TLS			
Protected Management Frames	EAP TTLS PEAPv0			
	PEAPv1			
Spectrum & Regulatory				
802.11h	WPA2™-Person	al 2021-01		



Certification ID: WFA128602



Role: Station Page 5 of 6

WPA3™-Enterprise 2022-12

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

cipher suite

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Server Certificate Validation

WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Wi-Fi Aware™

Bluetooth® Low Energy

Bluetooth® Low Energy - Browser

Wi-Fi Aware™ (continued)

Bluetooth® Low Energy - Provider

Bluetooth® Low Energy - Seeker

TCP/UDP NDP Initiator

TCP/UDP NDP Responder

Device Ranging

Wi-Fi Aware pairing

Unsynchronized Service Discovery

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

HE NDP

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

SU-MIMO

UL OFDMA

Wi-Fi 6E



Certification ID: WFA128602



Role: Station Page 6 of 6

Wi-Fi CERTIFIED 6® Release 2 (continued)

Multiple M-BSSID

Wi-Fi 6 Release 2 features

M-BSSID control frames

Wi-Fi Direct® (continued)

Wi-Fi Direct with WPA2

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

RTS with BW Signaling

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8 Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi Optimized Connectivity™ 2020

Active Scan

FILS Shared Key Authentication

Pushbutton

Probe Deferral and Suppression

Wi-Fi QoS Management™

Default DSCP to UP mapping

DSCP QoS Map

DSCP Policy

Mirrored Stream Classification Service

MSCS setup at association

Stream Classification Service

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Power Management

Short Guard Interval

STBC

Wi-Fi Direct®