



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA120222

Product Info

Date of Certification	January 8, 2025
Company	Samsung Electronics
Product Name	SM-T636B
Product Model Variant	2024-08-19
Model Number	SM-T636B
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Applications & Services	Voice-Enterprise Wi-Fi Aware™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi Optimized Connectivity™ 2020 Wi-Fi QoS Management™
Security	Protected Management Frames WPA2™-Enterprise 2018-04



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120222



Summary of Certifications (continued)

Page 2 of 7

CLASSIFICATION	CERTIFICATION
Security	WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-12
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120222



Role: Access Point

Page 3 of 7

Wi-Fi Components

Wi-Fi Component Operating System

Android 15.0

Wi-Fi Component Firmware

1.1.0.4.102.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-12

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED 6® (continued)

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

SU beamformer

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120222



Role: Access Point

Page 4 of 7

Wi-Fi CERTIFIED™ n (continued)

OBSS on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120222



Role: Station

Page 5 of 7

Wi-Fi Components

Wi-Fi Component Operating System

Android 15.0

Wi-Fi Component Firmware

1.1.0.4.102.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11h

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

WMM®-Power Save (continued)

Legacy Power Save

Unschedule auto PS

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120222



Role: Station

Page 6 of 7

WPA3™-Enterprise 2020-02 (continued)

EAP TTLS
 PEAPv0
 PEAPv1
 192-bit security
 192-bit security RSA 3K with the
 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
 cipher suite
 Server Certificate Validation

WPA3™-Personal 2020-12

Wi-Fi Agile Multiband™

ANQP
 ANQP-based Neighbor report
 Beacon Report Measurement Active Mode
 Beacon Report Measurement Passive Mode
 BTM Query
 Cellular Data capable
 Fast Transition OTA on WPA2-Personal

Wi-Fi Aware™

Bluetooth® Low Energy - Browser
 Bluetooth® Low Energy - Provider
 Bluetooth® Low Energy - Seeker
 Device Ranging

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU
 Beamforming sounding
 BSRP Trigger frame
 Compressed Block Ack Rx (buffer size 256)
 Compressed Block Ack Tx (buffer size 256)

Wi-Fi CERTIFIED 6® (continued)

DL MU-MIMO
 HE NDP
 LDPC Tx
 LDPC Rx
 Individual Target Wake Time
 MCS 10-11 Rx
 MCS 10-11 Tx
 MCS 8-9 Rx
 MCS 8-9 Tx
 MU EDCA Parameter Set element
 MU-BAR Trigger frame
 MU-RTS Trigger frame
 Operating mode control field
 Operating mode subfield in A-Control field
 Operating mode indication
 SU beamformee
 SU-MIMO
 UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support
 A-MPDU with A-MSDU
 DL MU-MIMO
 LDPC Rx
 MCS 8-9 Rx
 Short Guard Interval
 STBC
 LDPC Tx
 SU beamformee

Wi-Fi CERTIFIED™ b



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120222



Role: Station

Page 7 of 7

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC
A-MPDU Tx
OBSS on Extension Channel
Power Management
Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Optimized Connectivity™ 2020

Active Scan
FILS Shared Key Authentication
 FILS Indication Element support
 AKM Suite Selector Type 15
 FILS Higher Layer Protocol with DHCP v4 Rapid Commit
Pushbutton
Probe Deferral and Suppression

Wi-Fi QoS Management™

MSCS setup at association