



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA120222

Product Info

Date of Certification January 8, 2025

Company Samsung Electronics

Product Name SM-T636B

Product Model Variant 2024-08-19

Model Number SM-T636B

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2020

Wi-Fi QoS Management™

Security Protected Management Frames

WPA2™-Enterprise 2018-04



Certification ID: WFA120222



| Summary of Certifications (continued) | | Page 2 of 7 |
|---------------------------------------|---|-------------|
| CLASSIFICATION | CERTIFICATION | |
| Security | WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2020-02 WPA3 [™] -Personal 2020-12 | |
| Spectrum & Regulatory Features | Spectrum & Regulatory | |



Certification ID: WFA120222



| Role: Access Point | Page 3 of 7 |
|--------------------|-------------|
| | |

Wi-Fi Components

Wi-Fi Component Operating System

Android 15.0

Wi-Fi Component Firmware

1.1.0.4.102.0

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 2 | 2 |
| 5 GHz | 2 | 2 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED 6® (continued)

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

SU beamformer

Wi-Fi CERTIFIED™ a

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-12

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n



Certification ID: WFA120222



Role: Access Point Page 4 of 7

Wi-Fi CERTIFIED™ n (continued)

OBSS on Extension Channel Short Guard Interval STBC

A-MPDU Tx



Certification ID: WFA120222



Role: Station Page 5 of 7

Wi-Fi Components

Wi-Fi Component Operating System

Android 15.0

Wi-Fi Component Firmware

1.1.0.4.102.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

WMM®-Power Save (continued)

Legacy Power Save Unschedule auto PS

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

Spectrum & Regulatory

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Protected Management Frames

802.11h

WPA2™-Personal 2021-01

WPA3™-Enterprise 2<u>020</u>-02

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS



Certification ID: WFA120222



Role: Station Page 6 of 7

WPA3™-Enterprise 2020-02 (continued)

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

cipher suite

Server Certificate Validation

WPA3™-Personal 2020-12

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Wi-Fi Aware™

Bluetooth® Low Energy - Browser

Bluetooth® Low Energy - Provider

Bluetooth® Low Energy - Seeker

Device Ranging

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Wi-Fi CERTIFIED 6® (continued)

DL MU-MIMO

HE NDP

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

SU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b



Certification ID: WFA120222



Role: Station Page 7 of 7

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx

OBSS on Extension Channel

Power Management

Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Optimized Connectivity™ 2020

Active Scan

FILS Shared Key Authentication

FILS Indication Element support

AKM Suite Selector Type 15

FILS Higher Layer Protocol with DHCP v4 Rapid Commit

Pushbutton

Probe Deferral and Suppression

Wi-Fi QoS Management™

MSCS setup at association