



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA118229

Product Info

Date of Certification October 4, 2024

Company Samsung Electronics

Product Name SM-A736B/DS

Product Model Variant 2024-08-19

Model Number SM-A736B/DS

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02





Certification ID: WFA118229

Summary of Certifications (continued)

Page 2 of 7

CLASSIFICATION CERTIFICATION

Security WPA3[™]-Personal 2022-06

Spectrum & Regulatory

Features

Spectrum & Regulatory



Certification ID: WFA118229



Role: Access Point Page 3 of 7

Wi-Fi Components

Wi-Fi Component Operating System

Android 15.0

Wi-Fi Component Firmware

WLAN.MSL.1.0.1.c3-00099-QCAMSLSWPLZ-

1

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED 6® (continued)

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval





Certification ID: WFA118229



Certification ID: WFA118229



Role: Station	Page 5 of 7		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 15.0	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	1	1
WLAN.MSL.1.0.1.c3-00099-QCAMSLSWPLZ-	5 GHz	1	1
1	3 0112	1	ı.
Certifications			
2.4 GHz Spectrum Capabilities	WMM®-Power Sav	ve (continued)	
20 MHz Channel Width in 2.4 GHz	Legacy Power Save		
	Unschedule auto PS		
5 GHz Spectrum Capabilities	WDAOTH E	. 0040.04	
20 MHz Channel Width in 5 GHz	WPA2™-Enterpris	ie 2018-04	
40 MHz Channel Width in 5 GHz	EAP methods		
80 MHz Channel Width in 5 GHz	EAP AKA EAP AKA Prime		
Protected Management Frames	EAP SIM		
	EAP TLS EAP TTLS		
Spectrum & Regulatory	PEAPv0		
802.11h	PEAPv1		
Voice-Enterprise	WPA2™-Personal	2021-01	
WMM®	WPA3™-Enterpris	e 2020-02	
WMM®-Admission Control	EAP methods EAP AKA		
	EAP AKA Prime		
WMM®-Power Save	EAP SIM EAP TLS		





Certification ID: WFA118229

Role: Station Page 6 of 7

WPA3™-Enterprise 2020-02 (continued)

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

cipher suite

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Server Certificate Validation

WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

Wi-Fi Aware™

Bluetooth® Low Energy - Browser

Bluetooth® Low Energy - Provider

Bluetooth® Low Energy - Seeker

Device Ranging

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL MU PPDU multi-tone

HE NDP

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx





Certification ID: WFA118229

Role: Station	Page 7 of 7
Wi-Fi CERTIFIED™ ac (continued)	
Short Guard Interval	
STBC	
LDPC Tx	
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
STBC	
A-MPDU Tx	
OBSS on Extension Channel	
Power Management	
Short Guard Interval	
Wi-Fi Direct®	