



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA132318

Product Info

Date of Certification	August 20, 2024
Company	TCL Communication Ltd.
Product Name	8188X
Product Model Variant	8188X
Model Number	8188X
Category	Tablets, Ereaders & Cameras
Sub-category	Tablet (Wi-Fi only)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM®
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132318



Role: Station

Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android 14

Wi-Fi Component Firmware

2024-03-01-180552

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
 40 MHz Channel Width in 5 GHz
 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Enterprise 2018-04

EAP methods

- EAP AKA
- EAP AKA Prime
- EAP SIM
- EAP TLS
- EAP TTLS
- PEAPv0
- PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

- EAP AKA
- EAP AKA Prime
- EAP SIM
- EAP TLS
- EAP TTLS
- PEAPv0
- PEAPv1

Server Certificate Validation

WPA3™-Personal 2023-12

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling
 A-MPDU with A-MSDU
 DL MU-MIMO
 MCS 8-9 Rx
 Short Guard Interval
 STBC



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132318



Role: Station

Page 3 of 3

Wi-Fi CERTIFIED™ ac (continued)

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
HT Duplicate Mode
OBSS on Extension Channel
Short Guard Interval
STBC