



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA116517**

## **Product Info**

**Date of Certification** August 30, 2024

Company Samsung Electronics

Product Name SC-52C

Product Model Variant 2024-08-22

Model Number SC-52C

**Category** Phones

**Sub-category** Smartphone

## **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Applications & Services** Voice-Enterprise

Wi-Fi Aware™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2020

Wi-Fi QoS Management™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04





**Certification ID: WFA116517** 

Summary of Certifications (continued)		Page 2 of 6
CLASSIFICATION	CERTIFICATION	
Security	WPA2 <sup>™</sup> -Personal 2021-01 WPA3 <sup>™</sup> -Enterprise 2020-02 WPA3 <sup>™</sup> -Personal 2020-02 WPA3 <sup>™</sup> -Personal 2020-12	
Spectrum & Regulatory Features	Spectrum & Regulatory	



**Certification ID: WFA116517** 



Role: Access Point Page 3 of 6

Wi-Fi Components

**Wi-Fi Component Operating System** 

Android 15.0

Wi-Fi Component Firmware

20.25.521

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2

**Certifications** 

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ n

Short Guard Interval A-MPDU Tx

**Protected Management Frames** 

**WMM®** 

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

Operating mode indication

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g







Role: Station	P	Page 4 of 6		
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android 15.0	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
20.25.521				
	5 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	WMM®-Power Sa	WMM®-Power Save (continued)		
20 MHz Channel Width in 2.4 GHz	Legacy Power Save			
	Unschedule auto PS			
5 GHz Spectrum Capabilities				
20 MHz Channel Width in 5 GHz	WPA2™-Enterpris	se 2018-04		
40 MHz Channel Width in 5 GHz	EAP methods			
80 MHz Channel Width in 5 GHz	EAP AKA			
	EAP AKA Prime  EAP SIM			
Protected Management Frames	EAP TLS			
Consideration & Described	EAP TTLS			
Spectrum & Regulatory	PEAPv0			
802.11h	PEAPv1			
Voice-Enterprise	WPA2™-Personal	WPA2™-Personal 2021-01		
wmm®	WPA3™-Enterpris	WPA3™-Enterprise 2020-02		
	EAP methods			
WMM®-Admission Control	EAP AKA			
WMM®-Power Save	EAP AKA Prime EAP SIM			

EAP TLS





**Certification ID: WFA116517** 

Role: Station Page 5 of 6

#### WPA3™-Enterprise 2020-02 (continued)

**EAP TTLS** 

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384

cipher suite

Server Certificate Validation

#### WPA3™-Personal 2020-12

#### Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

**BTM Query** 

Cellular Data capable

Fast Transition OTA on WPA2-Personal

#### Wi-Fi Aware™

Bluetooth® Low Energy - Browser

Bluetooth® Low Energy - Provider

Bluetooth® Low Energy - Seeker

**Device Ranging** 

TCP/UDP NDP Initiator

TCP/UDP NDP Responder

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

DL MU PPDU multi-tone

DL MU-MIMO

Individual Target Wake Time

#### Wi-Fi CERTIFIED 6® (continued)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode control field

Operating mode indication

SU beamformee

SU-MIMO

**UL OFDMA** 

UL TB PPDU multi-tone

### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

LDPC Tx

SU beamformee

#### Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n





**Certification ID: WFA116517** 

Role: Station Page 6 of 6

## Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx

**OBSS** on Extension Channel

**Power Management** 

Short Guard Interval

#### Wi-Fi Direct®

## Wi-Fi Enhanced Open™ 2021-01

## Wi-Fi Optimized Connectivity™ 2020

Active Scan

FILS Shared Key Authentication

FILS Indication Element support

AKM Suite Selector Type 15

Pushbutton

Probe Deferral and Suppression

Wi-Fi QoS Management™