

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

#### **Certification ID: WFA132341**

#### **Product Info**

Date of Certification November 13, 2024

Company Acer Inc.

Product Name Tablet PC

Product Model Variant A24007

Model Number A24007

Category Tablets, Ereaders & Cameras

**Sub-category** Tablet (Wi-Fi only)

#### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

**Optimization** WMM®

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2023-12



### Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA132341** 



Role: Station Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android 14

Wi-Fi Component Firmware

v4.4.107

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

WPA3™-Enterprise 2022-12 (continued)

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

EAP methods

**EAP TLS** 

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA3™-Personal 2023-12

**Protected Management Frames** 

WMM®

Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac

WPA2™-Enterprise 2018-04

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

A-MPDU with A-MSDU

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformee

Wi-Fi CERTIFIED™ b

WPA2™-Personal 2021-01

Wi-Fi CERTIFIED™ g

WPA3™-Enterprise 2022-12

Wi-Fi CERTIFIED™ n



## **Wi-Fi CERTIFIED™ Certificate**

**Certification ID: WFA132341** 



**Role: Station** Page 3 of 3

#### Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx

HT Duplicate Mode

**OBSS** on Extension Channel

Short Guard Interval

STBC