



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA124092

Product Info

Date of Certification February 20, 2025

Company Samsung Electronics

Product Name SM-A346B/DSN

Product Model Variant 2024-08-26

Model Number SM-A346B/DSN

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2022-06





Certification ID: WFA124092

Summary	of Cer	tificatio	ns (con	tinued)
- Garring y		unioauo		

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features







Role: Access Point Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android 15

Wi-Fi Component Firmware

MT-20220125205701

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

Wi-Fi CERTIFIED™ b

Protected Management Frames

WMM®

Max Throughput

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC



Certification ID: WFA124092



Role: Station		Page 4 of 5
Wi-Fi Components		
Wi-Fi Component Operating System	RF Architecture	

Android 15

Wi-Fi Component Firmware

MT-20220125205701

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities **WMM®-Power Save**

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d

802.11h

Legacy Power Save Unschedule auto PS

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2021-01

Voice-Enterprise

WMM®

Max Throughput

WMM®-Admission Control

WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS





Certification ID: WFA124092

Role: Station	Page 5 of 5
---------------	-------------

WPA3™-Enterprise 2020-02 (continued)

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

Wi-Fi CERTIFIED™ n (continued)

Short Guard Interval

STBC

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

WPA3™-Personal 2022-06

Wi-Fi Aware™

TCP/UDP NDP Initiator
TCP/UDP NDP Responder

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel