



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA132176

Product Info

Date of Certification September 2, 2024

Company CROSSCALL

Product Name Mobile phone

Product Model Variant add VE and AC

Model Number Stellar-M6E

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Wi-Fi Easy Connect™

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2023-12

Optimization TDLS

WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2020

Security Protected Management Frames





Certification ID: WFA132176

Summary of Certifications (continued)		Page 2 of 6
CLASSIFICATION	CERTIFICATION	
Security	WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2022-12 WPA3 [™] -Personal 2023-12	



Certification ID: WFA132176



Role: Access Point Page 3 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Android14

Wi-Fi Component Firmware

WLAN.HL.3.4.3-00549-QCAHLSWMTPLZ-1

RF Architecture

2.4 GHz

Bands Supported Transmit (Tx) Receive (Rx)

5 GHz

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WMM®-Power Save

Unschedule auto PS

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval

A-MPDU Tx



Certification ID: WFA132176



Role: Station

Wi-Fi Components

Wi-Fi Component Operating System

Android14

Wi-Fi Component Firmware

WLAN.HL.3.4.3-00549-QCAHLSWMTPLZ-1

And Fi Component Firmware

Fi Component Firmware

WLAN.HL.3.4.3-100549-QCAHLSWMTPLZ-1

And Fi Component Firmware

Supported Transmit (Tx) Receive (Rx)

And Fi Component Firmware

	5 GHz 1 1		
Certifications			
2.4 GHz Spectrum Capabilities	Voice-Enterprise		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	WMM®		
	WMM®-Admission Control		
5 GHz Spectrum Capabilities	WMM®-Power Save		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Legacy Power Save Unschedule auto PS		
Passpoint® Release 3	WPA2™-Enterprise 2018-04		
Display of HS2.0 indication NAI Home Realm Query element Network Information in network selection Operating Class Indication Roaming Consortium Selection Terms and Conditions Venue Information	EAP methods EAP AKA EAP AKA Prime EAP SIM EAP TLS EAP TTLS PEAPv0 PEAPv1		
Protected Management Frames	WPA2™-Personal 2021-01		
TDLS	WPA3™-Enterprise 2022-12		

WI AS -Litter prise 2022-





Certification ID: WFA132176

Role: Station Page 5 of 6

WPA3™-Enterprise 2022-12 (continued)

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

Server Certificate Validation

WPA3™-Personal 2023-12

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

BTM Query

Cellular Data capable

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Power Management

Short Guard Interval

STBC

Wi-Fi Direct®

Wi-Fi Direct with WPA2

Wi-Fi Easy Connect™

Wi-Fi Easy Connect bootstrapping methods

QR code responder

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Optimized Connectivity™ 2020

Pushbutton





Certification ID: WFA132176

Role: Configurator	Page 6 of 6		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android14	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware WLAN.HL.3.4.3-00549-QCAHLSWMTPLZ-1	2.4 GHz	1	1
THE TOTAL STATE OF THE STATE OF	5 GHz	1	1

Certifications

Wi-Fi Easy Connect™

Provisioning configurator

Wi-Fi Easy Connect bootstrapping methods

QR code initiator

QR code responder