



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA132423

Product Info

Date of Certification	November 11, 2024
Company	Vantiva
Product Name	OWA812D
Product Model Variant	OWA812D
Model Number	OWA812D
Category	Routers
Sub-category	Cable, DSL or Other Broadband Gateway (Integrated Home Access Device)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12
Spectrum & Regulatory Features	Spectrum & Regulatory







Role: Access Point		F	Page 2 of 4	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux 4.19	Bands Supported	Transmit (Tx)) Receive (Rx)	
Wi-Fi Component Firmware 17.10.369.39012	2.4 GHz	2	2	
17.10.303.33012	5 GHz	4	4	
Certifications				
2.4 GHz Spectrum Capabilities	WPA2™-Personal	2021-01		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	WPA3™-Enterpris	e 2022-12		
	EAP methods			
5 GHz Spectrum Capabilities	192-bit security			
20 MHz Channel Width in 5 GHz	WPA3™-Personal	2023-12		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	AKM 24			
160 MHz Channel Width in 5 GHz	Beacon Protection			
Protected Management Frames	Wi-Fi Agile Multiba	and™		
Spectrum & Regulatory	Wi-Fi CERTIFIED 6	® Release 2		
802.11d	4 antenna support			
802.11h	A-MPDU with A-MSDU Basic Trigger frame in H	E MU PPDU		
WMM®	BSRP Trigger frame Compressed Block Ack	Rx (buffer size 256)	
WPA2™-Enterprise 2018-04	Compressed Block Ack Tx (buffer size 256)			
EAP methods	DL MU-MIMO DL OFDMA			
	Individual Target Wake	Time		



Certification ID: WFA132423



Role: Access Point

Page 3 of 4

Wi-Fi CERTIFIED 6® Release 2 (continued)	Wi-Fi CERTIFIED 7™ (continued)		
Wi-Fi CERTIFIED 6® Release 2 (continued) LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Rx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame Operating mode indication SU beamformer SU-MIMO TXOP RTS Threshold UL OFDMA Wi-Fi 6 Release 2 features UL MU-MIMO UL MU Control Target Wake Time information frames Broadcast Target Wake Time	 Wi-Fi CERTIFIED 7[™] (continued) EPCS (Emergency Preparedness Communications Services) priority access LDPC Rx LDPC Tx Load Balancing in MLO MCS 8-9 Rx MCS 8-9 Rx MCS 10-11 Rx MCS 10-11 Rx MCS 10-11 Tx MCS 12-13 Rx MCS 12-13 Tx Multi-link reconfiguration – AP removal Multi-link reconfiguration – AP restart Multi-RU MU-RTS Trigger frame Operating mode indication STR (Simultaneous Transmit and Receive) SU-MIMO Triggered uplink access optimization 		
Dynamic MU SMPS Preamble Puncturing	UL MU-MIMO UL OFDMA		

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping A-MPDU with A-MSDU BSRP Trigger frame BSS critical update Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL OFDMA Dynamic MU SMPS EMLSR (Enhanced Multilink Single-Radio)

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU DL MU-MIMO Extended 5 GHz Channel Support LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer



Certification ID: WFA132423



Role: Access Point

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Short Guard Interval STBC

Wi-Fi EasyMesh™

Backhaul Link Backhaul over Ethernet Fronthaul Access Point Fronthaul in 2.4 GHz Fronthaul in 5 GHz low band Fronthaul in 5 GHz high band Backhaul onboarding with Wi-Fi Protected Setup pushbutton Channel Scan on Request Client Capability Query Coordinated CAC Traffic separation Unassociated STA Link Metrics Reporting

Page 4 of 4