



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA132424

Product Info

Date of Certification	December 26, 2024
Company	Kaonbroadband CO., LTD.
Product Name	KB01-411H
Product Model Variant	2024-09-03
Model Number	KB01-411H
Category	Routers
Sub-category	Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2024-10
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132424



Role: Access Point

Page 2 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

268435650

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz
160 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d
802.11h

WMM®

Max Throughput

WPA2™-Enterprise 2018-04

WPA2™-Enterprise 2018-04 (continued)

EAP methods

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

WPA3™-Personal 2024-10

AKM 24
Beacon Protection

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU
Basic Trigger frame in HE MU PPDU
BSRP Trigger frame
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132424



Role: Access Point

Page 3 of 5

Wi-Fi CERTIFIED 6® (continued)

DL OFDMA
 Individual Target Wake Time
 LDPC Rx
 LDPC Tx
 MCS 8-9 Rx
 MCS 8-9 Tx
 MCS 10-11 Rx
 MCS 10-11 Tx
 MU EDCA Parameter Set element
 MU-BAR Trigger frame
 MU-RTS Trigger frame
 M-BSSID
 Operating mode indication
 SU beamformer
 SU-MIMO
 TXOP RTS Threshold
 UL OFDMA

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping
 A-MPDU with A-MSDU
 BSRP Trigger frame
 BSS critical update
 Compressed Block Ack Rx (buffer size 256)
 Compressed Block Ack Tx (buffer size 256)
 Compressed Block Ack Rx (buffer size 512)
 Compressed Block Ack Tx (buffer size 512)
 DL OFDMA
 Dynamic MU SMPS
 EMLSR (Enhanced Multilink Single-Radio)
 EPCS (Emergency Preparedness Communications Services) priority access
 LDPC Rx
 LDPC Tx

Wi-Fi CERTIFIED 7™ (continued)

Load Balancing in MLO
 MCS 8-9 Rx
 MCS 8-9 Tx
 MCS 10-11 Rx
 MCS 10-11 Tx
 Multi-link reconfiguration – AP removal
 Multi-link reconfiguration – AP restart
 Multi-RU
 MU-RTS Trigger frame
 Operating mode indication
 STR (Simultaneous Transmit and Receive)
 SU-MIMO
 Triggered uplink access optimization
 UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
 LDPC Rx
 LDPC Tx
 MCS 8-9 Rx
 Short Guard Interval
 STBC
 SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132424



Role: Access Point

Page 4 of 5

Wi-Fi CERTIFIED™ n (continued)

OBSS on Extension Channel

Short Guard Interval

STBC



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132424



Role: Controller

Page 5 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™