



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA127411

Product Info

Date of Certification	September 18, 2024
Company	Intel
Product Name	Intel® Wi-Fi 7 BE200
Product Model Variant	Win11 - 23.70 - Sept24
Model Number	BE200
Category	Computers & Accessories
Sub-category	External Adapter

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Network management	WMM® WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi QoS Management™
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2022-12 WPA3 [™] -Personal 2023-12 Wi-Fi Enhanced Open [™] 2023-12
Wi-Fi (MAC/PHY)	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Spectrum & Regulatory Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7 [™] Wi-Fi CERTIFIED 7 [™] a Wi-Fi CERTIFIED 7 [™] a Wi-Fi CERTIFIED 7 [™] b Wi-Fi CERTIFIED 7 [™] b Wi-Fi CERTIFIED 7 [™] p

This certificate was downloaded on 2025-05-22 at 05:25:03 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter[™] is a trademark of the Connectivity Standards Alliance.



Certification ID: WFA127411



Role: Station

Page 2 of 4

Wi-Fi Components			
Wi-Fi Component Operating System	g System RF Architecture		
Windows 11	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware 23.70	2.4 GHz	2	2
	5 GHz	2	2
	6 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	802.11d 802.11h
5 GHz Spectrum Capabilities	WMM®
20 MHz Channel Width in 5 GHz	WMM®-Power Save
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	Legacy Power Save Unschedule auto PS
6 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz	EAP methods EAP TLS
80 MHz Channel Width in 6 GHz	EAP TLS
160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz	PEAPv0
	WPA2™-Personal 2021-01
Protected Management Frames	
Spectrum & Regulatory	WPA3™-Enterprise 2022-12

This certificate was downloaded on 2025-05-22 at 05:25:03 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



Certification ID: WFA127411



Role: Station

Page 3 of 4

WPA3™-Enterprise 2022-12 (continued)	Wi-Fi CERTIFIED 6®
EAP methods EAP TLS EAP TLS PEAPv0 192-bit security 192-bit security RSA 3K with the TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite Fast Transition OTA on WPA3-Enterprise Fast Transition OTA on WPA3-Enterprise transition mode Server Certificate Validation	MCS 10-11 Rx MCS 10-11 Tx MCS 8-9 Rx MCS 8-9 Tx MU EDCA Parameter Set el MU-BAR Trigger frame MU-RTS Trigger frame M-BSSID Operating mode control field Operating mode subfield in A Operating mode indication SU beamformee
WPA3™-Personal 2023-12	SU-MIMO UL OFDMA
AKM 24 Beacon Protection	Wi-Fi 6E Multiple M-BSSID

Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode Beacon Report Measurement Passive Mode Fast Transition OTA on WPA2-Enterprise

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU Beamforming sounding BSRP Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO HE NDP LDPC Tx LDPC Rx Individual Target Wake Time Wi-Fi CERTIFIED 6® Release 2 (continued) MCS 10-11 Rx MCS 10-11 Tx MCS 8-9 Rx MCS 8-9 Rx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame M-BSSID Operating mode control field Operating mode subfield in A-Control field Operating mode indication SU beamformee SU-MIMO UL OFDMA Wi-Fi 6E Multiple M-BSSID Wi-Fi 6 Release 2 features UL MU-MIMO UL MU Control Target Wake Time information frames Broadcast Target Wake Time Dynamic MU SMPS M-BSSID control frames Preamble Puncturing

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping A-MPDU with A-MSDU Beamforming sounding BSS critical update Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 512) Compressed Block Ack Tx (buffer size 512)

This certificate was downloaded on 2025-05-22 at 05:25:03 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter[™] is a trademark of the Connectivity Standards Alliance.



Certification ID: WFA127411



Role: Station

Page 4 of 4

Wi-Fi CERTIFIED 7™ (continued)

DL MU-MIMO Dynamic MU SMPS EMLSR (Enhanced Multilink Single-Radio) EPCS (Emergency Preparedness Communications Services) priority access LDPC Rx LDPC Tx Load Balancing in MLO MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MCS 12-13 Rx MCS 12-13 Tx Multi-link reconfiguration - AP removal Multi-link reconfiguration - AP restart Multi-RU Operating mode indication Operating mode indication for 320 MHz Static puncturing SU-MIMO Triggered uplink access optimization UL MU-MIMO **UL OFDMA**

Wi-Fi CERTIFIED™ ac (continued)

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx OBSS on Extension Channel Power Management Short Guard Interval STBC

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi QoS Management™

Default DSCP to UP mapping DSCP QoS Map Mirrored Stream Classification Service

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval

This certificate was downloaded on 2025-05-22 at 05:25:03 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter[™] is a trademark of the Connectivity Standards Alliance.