



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA132751

Product Info

Date of Certification	September 26, 2024
Company	ZTE Corporation
Product Name	Optical Network Terminal
Product Model Variant	ZXHN F6705Q
Model Number	ZXHN F6705Q
Category	Routers
Sub-category	Cable, DSL or Other Broadband Gateway (Integrated Home Access Device)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2 Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2023-12



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132751



Role: Access Point

Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

V1.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	4	4

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

320 MHz channel width in 6 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

AKM 24
Beacon Protection

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU
 Basic Trigger frame in HE MU PPDU
 BSRP Trigger frame
 Compressed Block Ack Rx (buffer size 256)
 Compressed Block Ack Tx (buffer size 256)
 DL OFDMA
 Individual Target Wake Time
 LDPC Rx
 LDPC Tx
 MCS 8-9 Rx
 MCS 8-9 Tx
 MU-BAR Trigger frame
 MU-RTS Trigger frame
 Operating mode indication
 SU-MIMO
 TXOP RTS Threshold



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132751



Role: Access Point

Page 3 of 3

Wi-Fi CERTIFIED 6® Release 2 (continued)

UL OFDMA
Wi-Fi 6 Release 2 features
UL MU-MIMO
Dynamic MU SMPS

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx
MCS 8-9 Rx
RTS with BW Signaling
Short Guard Interval

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU
BSRP Trigger frame
BSS critical update
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
DL OFDMA
Dynamic MU SMPS
EMLSR (Enhanced Multilink Single-Radio)
LDPC Rx
LDPC Tx
MCS 8-9 Rx
MCS 8-9 Tx
Multi-RU
MU-RTS Trigger frame
Operating mode indication
Static puncturing
STR (Simultaneous Transmit and Receive)
SU-MIMO
Triggered uplink access optimization
UL MU-MIMO
UL OFDMA

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
LDPC Rx