

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## Certification ID: WFA132769

## **Product Info**

Date of Certification	September 20, 2024
Company	Alcatel-Lucent Enterprise dba ALE USA Inc.
Product Name	OmniAccess Stellar
Product Model Variant	OAW-AP1511
Model Number	OAW-AP1511
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

## **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Access	Passpoint® Release 3
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2023-12
Optimization	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2 <sup>™</sup> -Enterprise 2018-04 WPA2 <sup>™</sup> -Personal 2021-01 WPA3 <sup>™</sup> -Enterprise 2022-12 WPA3 <sup>™</sup> -Personal 2023-12



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA132769



# Summary of Certifications (continued)Page 2 of 5CLASSIFICATIONCERTIFICATIONSpectrum & Regulatory<br/>FeaturesSpectrum & Regulatory

This certificate was downloaded on 2024-12-21 at 12:31:11 UTC



# Wi-Fi CERTIFIED<sup>™</sup> Certificate Certification ID: WFA132769



#### **Role: Access Point** Page 3 of 5 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture linux 5.4 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 2 2 SPF 12.2 5 GHz 2 2 6 GHz 2 2 Certifications 2.4 GHz Spectrum Capabilities Passpoint® Release 3 (continued) Terms and Conditions

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

#### **6 GHz Spectrum Capabilities**

20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz

Passpoint® Release 3

Roaming Consortium Selection

## WMM®

802.11d

802.11h

Venue Information

WMM®-Power Save

WPA2<sup>™</sup>-Enterprise 2018-04

**Protected Management Frames** 

Spectrum & Regulatory

EAP methods

WPA2<sup>™</sup>-Personal 2021-01

WPA3<sup>™</sup>-Enterprise 2022-12



# Wi-Fi CERTIFIED<sup>™</sup> Certificate Certification ID: WFA132769



## **Role: Access Point**

## Page 4 of 5

## WPA3<sup>™</sup>-Enterprise 2022-12 (continued)

EAP methods 192-bit security

## WPA3<sup>™</sup>-Personal 2023-12

AKM 24 Beacon Protection

## Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list Cellular Data aware

## Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU **BSRP** Trigger frame Co-located BSS Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame **MU-RTS** Trigger frame M-BSSID Operating mode indication

## Wi-Fi CERTIFIED 6® (continued)

SU beamformer SU-MIMO TXOP RTS Threshold UL OFDMA Wi-Fi 6E

## Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU **BSRP** Trigger frame BSS critical update Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL OFDMA Dynamic MU SMPS EMLSR (Enhanced Multilink Single-Radio) LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx Multi-RU **MU-RTS** Trigger frame Operating mode indication Static puncturing STR (Simultaneous Transmit and Receive) SU-MIMO Triggered uplink access optimization **UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

This certificate was downloaded on 2024-12-21 at 12:31:11 UTC



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA132769** 



Page 5 of 5

## **Role: Access Point**

# Wi-Fi CERTIFIED™ ac (continued) A-MPDU with A-MSDU LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n A-MPDU Tx **OBSS** on Extension Channel Short Guard Interval STBC Wi-Fi Enhanced Open<sup>™</sup> 2023-12