



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: <a href="www.wi-fi.org/certification/programs">www.wi-fi.org/certification/programs</a>

# **Certification ID: WFA131640**

# **Product Info**

**Date of Certification** September 25, 2024

**Company** Honeywell Safety and Productivity Solutions

Product Name CK67

Product Model Variant add optional programs

Model Number CK67X1N

**Category** Phones

**Sub-category** Smartphone

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2023-12

**Optimization** WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2020

Wi-Fi QoS Management™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04





**Certification ID: WFA131640** 

# **Summary of Certifications (continued)**

Page 2 of 5

CLASSIFICATION CERTIFICATION

Security WPA2<sup>™</sup>-Personal 2021-01

WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2023-12



**Certification ID: WFA131640** 



Role: Station Page 3 of 5

# Wi-Fi Components

**Wi-Fi Component Operating System** 

Android 14

Wi-Fi Component Firmware

**WLAN.HSP.1.1.5** 

#### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

#### Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

# **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

#### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz

#### **Protected Management Frames**

**WMM®** 

**WMM®-Admission Control** 

WMM®-Power Save

# WPA2™-Enterprise 2018-04

EAP methods
EAP TLS
EAP TTLS
PEAPv0
PEAPv1

#### WPA2™-Personal 2021-01

### **WPA3™-Enterprise 2022-12**

EAP methods
EAP TLS
EAP TTLS
PEAPv0
PEAPv1
192-bit security

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

Server Certificate Validation

#### WPA3™-Personal 2023-12



**Certification ID: WFA131640** 



Role: Station Page 4 of 5

#### WPA3™-Personal 2023-12 (continued)

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

### Wi-Fi Agile Multiband™

**ANQP** 

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

**BSRP** Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL MU PPDU multi-tone

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode control field

Operating mode subfield in A-Control field

SU beamformee

SU-MIMO

#### Wi-Fi CERTIFIED 6® (continued)

**UL OFDMA** 

UL TB PPDU multi-tone

Wi-Fi 6E

Multiple M-BSSID

### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

STBC

#### Wi-Fi Direct®

Wi-Fi Direct with WPA2

#### Wi-Fi Enhanced Open™ 2023-12





**Certification ID: WFA131640** 

Role: Station	Page 5 of 5
Wi-Fi Optimized Connectivity™ 2020	
Pushbutton	
Wi-Fi Protected Setup™	
PIN	
Pushbutton	
Wi-Fi QoS Management™	
Default DSCP to UP mapping	
DSCP QoS Map	
Mirrored Stream Classification Service	
MSCS setup at association	