



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA132151

Product Info

Date of Certification September 25, 2024

Company Honeywell Safety and Productivity Solutions

Product Name CK67X0N-NKP

Product Model Variant add optional programs

Model Number CK67X0N-NKP

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2020

Wi-Fi QoS Management™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04





Certification ID: WFA132151

Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION CERTIFICATION

Security WPA2[™]-Personal 2021-01

WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12



Certification ID: WFA132151



Role: Station Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android 14

Wi-Fi Component Firmware

WLAN.HSP.1.1.5

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 2 | 2 |
| 5 GHz | 2 | 2 |
| 6 GHz | 2 | 2 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz

Protected Management Frames

WMM®

WMM®-Admission Control

WMM®-Power Save

WPA2™-Enterprise 2018-04

EAP methods
EAP TLS
EAP TTLS
PEAPv0
PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods
EAP TLS
EAP TTLS
PEAPv0
PEAPv1
192-bit security

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

Server Certificate Validation

WPA3™-Personal 2023-12



Certification ID: WFA132151



Role: Station Page 4 of 5

WPA3™-Personal 2023-12 (continued)

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL MU PPDU multi-tone

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode control field

Operating mode subfield in A-Control field

SU beamformee

SU-MIMO

Wi-Fi CERTIFIED 6® (continued)

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6E

Multiple M-BSSID

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi Direct®

Wi-Fi Direct with WPA2

Wi-Fi Enhanced Open™ 2023-12





Certification ID: WFA132151

| | Page 5 of 5 |
|--|-------------|
| Wi-Fi Optimized Connectivity™ 2020 | |
| Pushbutton | |
| Wi-Fi Protected Setup™ | |
| PIN | |
| Pushbutton | |
| Wi-Fi QoS Management™ | |
| Default DSCP to UP mapping | |
| DSCP QoS Map | |
| Mirrored Stream Classification Service | |
| MSCS setup at association | |