



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA132828**

Product Info	
Date of Certification	December 6, 2024
Company	H3C
<b>Product Name</b>	H3C WA7220-HI WLAN AP with H3C WX Series WLAN Controller
<b>Product Model Variant</b>	H3C WA7220-HI WLAN AP with H3C WX Series WLAN Controller
Model Number	H3C WA7220-HI WLAN AP with H3C WX Series WLAN Controller
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

## **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2023-12
Spectrum & Regulatory Features	Spectrum & Regulatory





**Certification ID: WFA132828** 

Role: Access Point		P	age 2 of 4	
Vi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Comware	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
V700R001	5 GHz	2	2	
	6 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regu	latory (continue	ed)	
20 MHz Channel Width in 2.4 GHz	802.11d			
40 MHz Channel Width in 2.4 GHz	802.11h			
5 GHz Spectrum Capabilities	WMM®			
20 MHz Channel Width in 5 GHz	WPA2™-Enterpris	WPA2™-Enterprise 2018-04		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP methods	EAP methods		
160 MHz Channel Width in 5 GHz				
6 GHz Spectrum Capabilities	WPA2™-Personal	2021-01		
6 GHZ Spectrum Capabilities	WPA3™-Enterpris	se 2022-12		
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz	EAP methods			
80 MHz Channel Width in 6 GHz	192-bit security			
160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz				
320 IVITIZ CHAIIIIEI WIQUI III O GHZ	WPA3™-Personal	2023-12		
Protected Management Frames	AKM 24			
Spectrum & Regulatory	Beacon Protection			



Certification ID: WFA132828



### **Role: Access Point**

Page 3 of 4

#### Wi-Fi Agile Multiband™

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

**BSRP** Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

Wi-Fi 6E

### Wi-Fi CERTIFIED 7™ (continued)

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

**UL OFDMA** 

#### Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC





**Certification ID: WFA132828** 

Role: Access Point	Page 4 of 4
Wi-Fi CERTIFIED™ ac (continued)	
SU beamformer	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
HT Duplicate Mode	
OBSS on Extension Channel	
Chart Cuard Intonial	
Short Guard Interval	