



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA132968

Product Info

Date of Certification April 16, 2025

Company Huawei Technologies Co., Ltd.

Product Name Optical Network Terminal

Product Model Variant OptiXstar K251s

Model Number OptiXstar K251s

Category Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12



Certification ID: WFA132968



Summary of Certifications (continued)

Page 2 of 6

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features



Certification ID: WFA132968



Role: Access Point	Page 3 of 6		
Wi-Fi Components Wi-Fi Component Operating System	RF Architecture		
Linux Wi-Fi Component Firmware V500	Bands Supported 2.4 GHz 5 GHz	Transmit (Tx) 2 2	Receive (Rx) 2 2
Certifications			
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	EAP methods		
5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WPA3™-Personal WPA3™-Enterpris EAP methods WPA3™-Personal	e 2022-12	
Protected Management Frames Spectrum & Regulatory	AKM 24 Beacon Protection		
802.11d 802.11h	Wi-Fi Agile Multiband™ Cellular Data aware		
WMM®	Wi-Fi CERTIFIED 6® Release 2		
WMM®-Power Save WPA2™-Enterprise 2018-04	A-MPDU with A-MSDU Basic Trigger frame in H BSRP Trigger frame	E MU PPDU	



Certification ID: WFA132968



Role: Access Point Page 4 of 6

Wi-Fi CERTIFIED 6® Release 2 (continued)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

UL OFDMA

Wi-Fi 6 Release 2 features

Dynamic MU SMPS

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Wi-Fi CERTIFIED 7™ (continued)

MCS 12-13 Rx

MCS 12-13 Tx

Multi-RU

MU-RTS Trigger frame

Operating mode indication

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval



Certification ID: WFA132968



Role: Access Point Page 5 of 6

Wi-Fi CERTIFIED™ n (continued)

STBC

Wi-Fi EasyMesh™

Backhaul Link

Backhaul in 2.4 GHz

Backhaul in 5 GHz low band

Backhaul in 5 GHz high band

Backhaul over Ethernet

Fronthaul Access Point

Fronthaul in 2.4 GHz

Fronthaul in 5 GHz low band

Fronthaul in 5 GHz high band

Backhaul onboarding with Wi-Fi Protected Setup pushbutton

Coordinated CAC

Wi-Fi Protected Setup™

PIN

Pushbutton



Certification ID: WFA132968



Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™