



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA133151

Product Info

Category

Date of Certification February 25, 2025

Company FURUNO SYSTEMS Co., Ltd.

Routers

Product Name ACERA EW770

Product Model Variant New Product Model

Model Number WN-770

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum CapabilitiesWi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2024-10

Spectrum & Regulatory

Features

Spectrum & Regulatory

This certificate was downloaded on 2025-05-02 at 02:23:37 UTC



Certification ID: WFA133151



Role: Access Point		Page 2 of 4	
Wi-Fi Components			
Wi-Fi Component Operating System Linux Wi-Fi Component Firmware 1.00	RF Architecture		
	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	2	2
	5 GHz	4	4
Wi-Fi Component Operating System Linux Wi-Fi Component Firmware 1.00	RF Architecture		
	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	2	2
	5 GHz	4	4
	6 GHz	4	4
2.4 GHz Spectrum Capabilities	6 GHz Spectrum (Capabilities (con	tinued)
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz		
	320 MHz channel width in 6 GHz		
5 GHz Spectrum Capabilities	Protected Manage	Protected Management Frames	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	Spectrum & Regulatory		
80 MHz Channel Width in 5 GHz	Spectrum & Regulatory		
160 MHz Channel Width in 5 GHz	802.11h		
6 GHz Spectrum Capabilities	WMM®		
20 MHz Channel Width in 6 GHz	WPA2™-Enterpris	se 2018-04	
40 MHz Channel Width in 6 GHz			



Certification ID: WFA133151



Role: Access Point Page 3 of 4

WPA2[™]-Enterprise 2018-04 (continued)

EAP methods

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

WPA3™-Personal 2024-10

AKM 24

Beacon Protection

SAE-Public Key

Wi-Fi Agile Multiband™

Cellular Data aware

Wi-Fi CERTIFIED 6® Release 2

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

Wi-Fi CERTIFIED 6® Release 2 (continued)

MCS 10-11 Rx

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Co-located BSS

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL MU Control

UL Extended Range

Target Wake Time information frames

Broadcast Target Wake Time

Dynamic MU SMPS

M-BSSID control frames

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)



Certification ID: WFA133151



Role: Access Point Page 4 of 4

Wi-Fi CERTIFIED 7™ (continued)

EPCS (Emergency Preparedness Communications Services) priority access

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

Wi-Fi CERTIFIED™ ac (continued)

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

STBC

Wi-Fi Enhanced Open™ 2023-12