



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA131860

Product Info

Date of Certification October 28, 2024

Company NXP Semiconductors

Product Name IW610

Product Model Variant IW610-p36

Model Number IW610

Category Other

Sub-category Embedded Module

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2023-12





Certification ID: WFA131860

Summary of	f Cert	tifications ((continued)

Page 2 of 4

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features





Certification ID: WFA131860

Role: Station Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

p36

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d

802.11h

WMM®

Max Throughput

WPA2™-Enterprise 2018-04

EAP methods

EAP TLS

EAP TTLS

WPA2[™]-Enterprise 2018-04 (continued)

PEAPv0

PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1
192-bit security

192-bit security RSA 3K with the

TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 cipher

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

Server Certificate Validation

WPA3™-Personal 2023-12

Wi-Fi Agile Multiband™



Certification ID: WFA131860



Role: Station Page 4 of 4

Wi-Fi Agile Multiband™ (continued)

ANQP

ANQP-based Neighbor report

BTM Query

Cellular Data capable

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

DL MU-MIMO

Individual Target Wake Time

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode indication

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL Extended Range

Target Wake Time information frames

Broadcast Target Wake Time

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

Extended 5 GHz Channel Support

Wi-Fi CERTIFIED™ ac (continued)

MCS 8 Rx

Short Guard Interval

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

Power Management

Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Protected Setup™

PIN

Pushbutton