



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128501

Product Info

Date of Certification	November 11, 2024
Company	LIMNO Co., Ltd.
Product Name	SPU-A06L-LW
Product Model Variant	SPU-A07-LS
Model Number	SPU-A06L-LW
Category	Tablets, Ereaders & Cameras
Sub-category	Tablet (Wi-Fi and other)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Passpoint® Release 3 Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
Optimization	WMM®
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2022-12 WPA3™-Personal 2022-06
Spectrum & Regulatory Features	Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128501



Role: Access Point

Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

3.3.7.1.458.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
LDPC Rx

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx
MCS 8-9 Rx
RTS with BW Signaling
Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel
Short Guard Interval
A-MPDU Tx



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128501



Role: Station

Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

3.3.7.1.458.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

Spectrum & Regulatory (continued)

802.11d
802.11h

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

WMM®

WPA2™-Enterprise 2018-04

EAP methods
EAP TLS
EAP TTLS
PEAPv0
PEAPv1

Passpoint® Release 3

Display and input method
Display of HS2.0 indication
Network Information in network selection
Roaming Consortium Selection
Terms and Conditions
 Private and secure terms and conditions
Venue Information
 Private and secure Venue Information

WPA2™-Personal 2021-01

WPA3™-Enterprise 2022-12

EAP methods
EAP TLS
EAP TTLS
PEAPv0
PEAPv1
Server Certificate Validation

Protected Management Frames

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA128501



Role: Station

Page 4 of 4

WPA3™-Personal 2022-06

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval
STBC

Wi-Fi Direct®

Wi-Fi Direct with WPA2

Wi-Fi Protected Setup™

PIN
Pushbutton