



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA133221

# **Product Info**

**Date of Certification** March 7, 2025

**Company** FURUNO SYSTEMS Co., Ltd.

Product Name ACERA EW750

Product Model Variant New Product Model

Model Number WN-750

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

# **Summary of Certifications**

CL ASSIFIC	ΛTIΩNI	CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

**Optimization** WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2024-10

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory





**Certification ID: WFA133221** 

Role: Access Point	P	Page 2 of 4	
Vi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware  1.00	2.4 GHz	2	2
1.00	5 GHz	2	2
Wi-Fi Component Operating System	RF Architecture		
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware  1.00	2.4 GHz	2	2
1.00	5 GHz	2	2
	6 GHz	2	2
Certifications  2.4 GHz Spectrum Capabilities	6 GHz Spectrum	Capabilities (con	ntinued)
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	160 MHz Channel Wid	80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz	
5 GHz Spectrum Capabilities	Protected Manag	gement Frames	
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Spectrum & Regulatory		
160 MHz Channel Width in 5 GHz	802.11h		
6 GHz Spectrum Capabilities	WMM®		
20 MHz Channel Width in 6 GHz	WPA2™-Enterpr	WPA2™-Enterprise 2018-04	
40 MHz Channel Width in 6 GHz			



Certification ID: WFA133221



Role: Access Point Page 3 of 4

#### WPA2<sup>™</sup>-Enterprise 2018-04 (continued)

EAP methods

#### WPA2™-Personal 2021-01

#### WPA3™-Enterprise 2022-12

EAP methods

# WPA3™-Personal 2024-10

AKM 24

**Beacon Protection** 

SAE-Public Key

### Wi-Fi Agile Multiband™

Cellular Data aware

#### Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

#### Wi-Fi CERTIFIED 6® Release 2 (continued)

MCS 10-11 Tx

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

Wi-Fi 6E

Co-located BSS

Wi-Fi 6 Release 2 features

**UL MU-MIMO** 

UL MU Control

**UL Extended Range** 

Target Wake Time information frames

Broadcast Target Wake Time

Dynamic MU SMPS

M-BSSID control frames

### Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)





**Certification ID: WFA133221** 

Role: Access Point Page 4 of 4

### Wi-Fi CERTIFIED 7™ (continued)

EPCS (Emergency Preparedness Communications Services) priority access

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

#### Wi-Fi CERTIFIED™ a

# Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

# Wi-Fi CERTIFIED™ ac (continued)

SU beamformer

#### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

**STBC** 

### Wi-Fi Enhanced Open™ 2023-12