



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA132159**

### **Product Info**

Date of Certification November 1, 2024

**Company** Kaonbroadband CO., LTD.

Product Name AR6445G

Product Model Variant 2024-10-30

Model Number AR6445G

**Category** Routers

**Sub-category** Access Point for Home or Small Office (Wireless Router)

### **Summary of Certifications**

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

**Optimization** WMM®

Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2023-12





**Certification ID: WFA132159** 

Summary of	f Certi	fications (	(continued)

Page 2 of 5

**CLASSIFICATION** 

**CERTIFICATION** 

Spectrum & Regulatory

Spectrum & Regulatory

**Features** 







Role: Access Point		P	age 3 of 5	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)	
<b>Wi-Fi Component Firmware</b> 17.10.369.39012 (r839077)	2.4 GHz	3	3	
	5 GHz	4	4	
	6 GHz	4	4	
	0 0112	7	7	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regul	Spectrum & Regulatory (continued)		
20 MHz Channel Width in 2.4 GHz	802.11d			
40 MHz Channel Width in 2.4 GHz	802.11h			
5 GHz Spectrum Capabilities	WMM®			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	Max Throughput			
80 MHz Channel Width in 5 GHz	nel Width in 5 GHz			
160 MHz Channel Width in 5 GHz				
6 GHz Spectrum Capabilities	EAP methods			
	WPA2™-Personal	2021-01		
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz				
80 MHz Channel Width in 6 GHz	WPA3™-Enterpris	WPA3™-Enterprise 2022-12		
160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz	EAP methods			
Protected Management Frames	WPA3™-Personal	2023-12		
Spectrum & Regulatory	AKM 24			



Certification ID: WFA132159



Role: Access Point Page 4 of 5

WPA3™-Personal 2023-12 (continued)

Beacon Protection

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

**BSRP** Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

Wi-Fi 6E

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

Wi-Fi CERTIFIED 7™ (continued)

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-link reconfiguration - AP restart

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac



WiFi

**Certification ID: WFA132159** 

Role: Access Point Page 5 of 5

### Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

A-MPDU Tx

**OBSS** on Extension Channel

Short Guard Interval

STBC

### Wi-Fi EasyMesh™

Backhaul Link

Backhaul over Ethernet

Fronthaul Access Point

Fronthaul in 2.4 GHz

Fronthaul in 5 GHz low band

Fronthaul in 5 GHz high band

Backhaul onboarding with Wi-Fi Protected Setup pushbutton

Coordinated CAC

Traffic separation

### Wi-Fi Enhanced Open™ 2023-12