



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA133399

Product Info

Date of Certification November 12, 2024

Company ZTE Corporation

Product Name Home Gateway

Product Model Variant Add mesh controller R4

Model Number ZXHN H1601P

Category Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2023-12



Certification ID: WFA133399



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

V1.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2023-12

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Wi-Fi CERTIFIED 6® (continued)

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-RTS Trigger frame

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac





Certification ID: WFA133399

Role: Access Point	Page 3 of 4
Wi-Fi CERTIFIED™ ac (continued)	
A-MPDU with A-MSDU	
DL MU-MIMO	
LDPC Rx	
LDPC Tx	
MCS 8-9 Rx	
Short Guard Interval	
STBC	
SU beamformer	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
OBSS on Extension Channel	
Short Guard Interval	
STBC	
Wi-Fi Protected Setup™	
PIN	
Pushbutton	





Certification ID: WFA133399

Role: Controller	Page 4 of 4
Wi-Fi Components	
Wi-Fi Component Operating System	
Linux	
Certifications	
Wi-Fi EasyMesh™	