



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: <a href="www.wi-fi.org/certification/programs">www.wi-fi.org/certification/programs</a>

# **Certification ID: WFA133516**

### **Product Info**

**Date of Certification** December 23, 2024

Company Samsung Electronics

Product Name Smart Phone

Product Model Variant SM-A066B/DS

Model Number SM-A066B/DS

**Category** Phones

**Sub-category** Smartphone

## **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Applications & Services** Voice-Enterprise

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

**Optimization** WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2022-12 WPA3<sup>™</sup>-Personal 2024-10



**Certification ID: WFA133516** 



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System RF Architecture

Android

Wi-Fi Component Firmware

Bands Supported Transmit (Tx) Receive (Rx)

Wi-Fi CERTIFIED™ n

2.4 GHz 1

t-neptune-sp-soc2\_2-2318-tc10sp2-

CHANDON SOC2 2 E1 MT6631 ASIC MINIROM5 SEC-20240731144726 1

Certifications

2.4 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ b

20 MHz Channel Width in 2.4 GHz Wi-Fi CERTIFIED™ g

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

OBSS on Extension Channel

80 MHz Channel Width in 5 GHz
Short Guard Interval

A-MPDU Tx

**Protected Management Frames** 

**WMM®** 

WPA2™-Personal 2021-01

WPA3™-Personal 2024-10

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU MCS 8-9 Rx

Short Guard Interval



Certification ID: WFA133516



**Role: Station** Page 3 of 4

Wi-Fi Components

**Wi-Fi Component Operating System** 

Android

Wi-Fi Component Firmware

t-neptune-sp-soc2\_2-2318-tc10sp2-

CHANDON SOC2 2 E1 MT6631 ASIC MINIROM5 SEC-20240731144726

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

#### Certifications

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

#### WPA2<sup>™</sup>-Enterprise 2018-04 (continued)

EAP methods

EAP AKA

**EAP AKA Prime** 

EAP SIM

**EAP TLS** 

**EAP TTLS** 

PEAPv0

PEAPv1

#### **Protected Management Frames**

#### **Voice-Enterprise**

#### **WMM®**

#### **WMM®-Admission Control**

#### WMM®-Power Save

Legacy Power Save

Unschedule auto PS

#### WPA2™-Enterprise 2018-04

#### WPA2™-Personal 2021-01

#### WPA3™-Enterprise 2022-12

EAP methods

EAP AKA

**EAP AKA Prime** 

EAP SIM

**EAP TLS** 

**EAP TTLS** 

PEAPv0

PEAPv1

Server Certificate Validation

#### WPA3™-Personal 2024-10





**Certification ID: WFA133516** 

Role: Station
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
A-MPDU with A-MSDU
MCS 8-9 Rx Short Guard Interval
STBC
SU beamformee
W. E. CERTIFIER W.
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n
A-MPDU Tx
HT Duplicate Mode
OBSS on Extension Channel Short Guard Interval
STBC
Wi-Fi Direct®
Wi-Fi Direct with WPA2
Wi-Fi Protected Setup™
PIN
Pushbutton