



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA133610

Product Info

Date of Certification February 26, 2025

Company Ruckus Wireless, Inc.

Product Name R670

Product Model Variant R670

Model Number R670

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum CapabilitiesWi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2020

Wi-Fi QoS Management™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12



Certification ID: WFA133610



Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION CERTIFICATION

Security WPA3[™]-Personal 2024-10

Spectrum & Regulatory

Features

Spectrum & Regulatory



Certification ID: WFA133610



Role: Access Point	Page 3 of 5			
Wi-Fi Components	DE Analita atum			
Wi-Fi Component Operating System Linux	RF Architecture			
Wi-Fi Component Firmware 7.0.0.7.85	Bands Supported	Transmit (Tx)	Receive (Rx)	
	2.4 GHz	2	2	
	5 GHz	2	2	
	6 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	Passpoint® Release 3 (continued)			
20 MHz Channel Width in 2.4 GHz	Venue Information			
5 GHz Spectrum Capabilities	Protected Management Frames			
20 MHz Channel Width in 5 GHz	Spectrum & Regulatory			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	802.11d			
160 MHz Channel Width in 5 GHz	802.11h			
6 GHz Spectrum Capabilities	WMM®			
20 MHz Channel Width in 6 GHz	WPA2™-Enterprise 2018-04 EAP methods			
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz				
160 MHz Channel Width in 6 GHz 320 MHz channel width in 6 GHz	Est mediodo			
	WPA2™-Personal 2021-01			
Passpoint® Release 3	WPA3™-Enterpris	e 2022-12		
Roaming Consortium Selection	EAP methods			
Terms and Conditions	192-bit security			



Certification ID: WFA133610



Role: Access Point Page 4 of 5

WPA3™-Enterprise 2022-12 (continued)

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

WPA3™-Personal 2024-10

AKM 24

AKM 25

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Beacon Protection

Wi-Fi Agile Multiband™

Cellular Data aware

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

Wi-Fi CERTIFIED 6® Release 2 (continued)

MU-RTS Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Co-located BSS

Wi-Fi 6 Release 2 features

Broadcast Target Wake Time

Dynamic MU SMPS

Wi-Fi CERTIFIED 7™

A-MPDU with A-MSDU

BSRP Trigger frame

BSS critical update

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

Compressed Block Ack Rx (buffer size 512)

Compressed Block Ack Tx (buffer size 512)

DL OFDMA

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

EPCS (Emergency Preparedness Communications Services)

priority access

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx



Certification ID: WFA133610



Role: Access Point Page 5 of 5

Wi-Fi CERTIFIED 7™ (continued)

MCS 12-13 Tx

Multi-RU

MU-RTS Trigger frame

Operating mode indication

Operating mode indication for 320 MHz

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

Wi-Fi CERTIFIED™ n (continued)

STBC

Wi-Fi Enhanced Open™ 2023-12

Wi-Fi Optimized Connectivity™ 2020

FILS Shared Key Authentication

FILS Indication Element support

FILS Higher Layer Protocol with DHCP v4 Rapid Commit using an external DHCP server

FILS Discovery frame and Beacon interval

Fast Transition OTA on WPA2-Enterprise

Reduced Neighbor Report includes all neighboring BSS

Wi-Fi QoS Management™

Default DSCP to UP mapping

DSCP QoS Map

Mirrored Stream Classification Service