



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA133614

Product Info

Date of Certification May 21, 2025

Company Panasonic Automotive Systems Co., Ltd.

Product Name Car Navigation System

Product Model Variant CDC Source

Model Number CK-LMNFN0JT

Category Other

Sub-category In-vehicle Network

Summary of Certifications

CLASSIFICATION CERTIFICATION

Network management WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2024-10

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



Certification ID: WFA133614



Role: Access Point Page 2 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:13

Wi-Fi Component Firmware

1.0.2.0.3844.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED 6® (continued)

MCS 10-11 Rx MCS 10-11 Tx

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2024-10

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

ODGG GIT EXCONOIGH GHAINTO

Short Guard Interval

STBC



Certification ID: WFA133614



Role: Access Point	Page 3 of 5
Wi-Fi CERTIFIED™ n (continued)	
A-MPDU Tx	



Certification ID: WFA133614



Role: Station Page 4 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:13

Wi-Fi Component Firmware

1.0.2.0.3844.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2024-10

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU BSRP Trigger frame

DL MU-MIMO

Wi-Fi CERTIFIED 6® (continued)

LDPC Tx

LDPC Rx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSIE

SU beamformee

SU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC



Certification ID: WFA133614



ole: Station	Page 5
Wi-Fi CERTIFIED™ ac (continued)	
LDPC Tx SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx OBSS on Extension Channel Short Guard Interval STBC	