



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA133650

Product Info

Date of Certification December 9, 2024

Company Broadcom Corporation

Product Name BCM94390

Product Model Variant WIFI7

Model Number BCM94390

Category Other

Sub-category Embedded Module

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum CapabilitiesWi-Fi CERTIFIED 6® Release 2

Wi-Fi CERTIFIED 7™
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2024-10

Spectrum & Regulatory

Features

Spectrum & Regulatory



Certification ID: WFA133650



Role: Station	Page 2	Page 2 of 4	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux, version:FC34	Bands Supported Transmit (Tx) Recei	ive (Rx)	
Wi-Fi Component Firmware	2.4 GHz 2 2		
WFACTB_REL_1_272_1_13	5 GHz 2 2		
	6 GHz 2 2		
Certifications			
2.4 GHz Spectrum Capabilities	Spectrum & Regulatory (continued)		
20 MHz Channel Width in 2.4 GHz	802.11h		
5 GHz Spectrum Capabilities	WMM®		
20 MHz Channel Width in 5 GHz	WPA2™-Enterprise 2018-04		
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	EAP methods		
160 MHz Channel Width in 5 GHz	EAP AKA		
	EAP AKA Prime		
6 GHz Spectrum Capabilities	EAP SIM		
o one opeca an oapabilities	EAP TLS		
20 MHz Channel Width in 6 GHz	EAP TTLS PEAPv0		
40 MHz Channel Width in 6 GHz	PEAPV1		
80 MHz Channel Width in 6 GHz	1 2 0 01		
160 MHz Channel Width in 6 GHz	WPA2™-Personal 2021-01		
Protected Management Frames	WPA3™-Enterprise 2022-12		
Spectrum & Regulatory	_		
	EAP methods EAP AKA		
802.11d	EAP AKA Prime		



Certification ID: WFA133650



Role: Station Page 3 of 4

WPA3™-Enterprise 2022-12 (continued)

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite

0.0..0.

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

Server Certificate Validation

WPA3™-Personal 2024-10

AKM 24

AKM 25

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

Beacon Protection

SAE-Public Key

Operating Channel Validation

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Wi-Fi Agile Multiband™ (continued)

Fast Transition OTA on WPA2-Enterprise

Wi-Fi CERTIFIED 6® Release 2

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

DL MU-MIMO

HE NDP

LDPC Tx

LDPC Rx

Individual Target Wake Time

MCS 10-11 Rx

MCS 10-11 Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

SU beamformee

SU-MIMO

UL OFDMA

Wi-Fi 6E

Multiple M-BSSID

Wi-Fi 6 Release 2 features

UL MU-MIMO

UL MU Control

UL Extended Range

Target Wake Time information frames

Broadcast Target Wake Time

Dynamic MU SMPS

M-BSSID control frames

Preamble Puncturing



Certification ID: WFA133650



Role: Station Page 4 of 4

Wi-Fi CERTIFIED 7™

Advertised TID-to-link mapping

A-MPDU with A-MSDU

Beamforming sounding

BSS critical update

DL MU-MIMO

Dynamic MU SMPS

EMLSR (Enhanced Multilink Single-Radio)

LDPC Rx

LDPC Tx

Load Balancing in MLO

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MCS 12-13 Rx

MCS 12-13 Tx

Multi-link reconfiguration - AP removal

Multi-link reconfiguration - AP restart

Multi-RU

Static puncturing

STR (Simultaneous Transmit and Receive)

SU-MIMO

Triggered uplink access optimization

UL MU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8 Rx

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx

Short Guard Interval

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Power Management

Short Guard Interval

Wi-Fi Enhanced Open™ 2023-12