



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA128806

Product Info

Date of Certification December 19, 2024

Company Fortinet Inc.

Product Name FortiAP-441K

Product Model Variant Additional Program- FortiAP441K

Model Number FortiAP-441K

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2023-12

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2022-12 WPA3[™]-Personal 2022-06





Certification ID: WFA128806

Summary	of Certi	ifications	(cont	inued)
- Cullilliai y		illoutions .	COLL	шаса,

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features





Certification ID: WFA128806

Role: Access Point	Page 3 of 5		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
FortiAP	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware 7.4	2.4 GHz	4	4
7.4	5 GHz	4	4
	6 GHz	4	4
Certifications			

7.7	5 GHz	4	4	
	6 GHz	4	4	
Certifications				_
2.4 GHz Spectrum Capabilities	Passpoint® Rele	ease 3 (cont	inued)	
20 MHz Channel Width in 2.4 GHz	Venue Information			
40 MHz Channel Width in 2.4 GHz				
	Protected Mana	gement Frar	nes	
5 GHz Spectrum Capabilities	Curretuum & Day			
20 MHz Channel Width in 5 GHz	Spectrum & Rec	Julatory		
40 MHz Channel Width in 5 GHz	802.11d			
80 MHz Channel Width in 5 GHz	802.11h			
160 MHz Channel Width in 5 GHz				_
	WMM®			
6 GHz Spectrum Capabilities	WIMMS Dawer C	2010		
20 MHz Channel Width in 6 GHz	WMM®-Power S	ave		
40 MHz Channel Width in 6 GHz	Legacy Power Save			
80 MHz Channel Width in 6 GHz	Unschedule auto PS			
160 MHz Channel Width in 6 GHz				
	WPA2™-Enterp	rise 2018-04		
Passpoint® Release 3				

Roaming Consortium Selection Terms and Conditions EAP methods

WPA2™-Personal 2021-01





Certification ID: WFA128806

Role: Access Point Page 4 of 5

WPA3™-Enterprise 2022-12

EAP methods

192-bit security

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

WPA3™-Personal 2022-06

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

SAE-Public Key

Wi-Fi CERTIFIED 6® (continued)

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi Agile Multiband™

Cellular Data aware

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Co-located BSS

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

Extended 5 GHz Channel Support

LDPC Rx

LDPC Tx

MCS 8 Rx

MCS 8-9 Rx

RTS with BW Signaling

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n





Certification ID: WFA128806

Role: Access Point	Page 5 of 5
Wi-Fi CERTIFIED™ n (continued)	
A-MPDU Tx OBSS on Extension Channel RIFS Short Guard Interval STBC	
Wi-Fi Enhanced Open™ 2023-12	